







Welcome



Kichler Lighting offers a distinctive array of lighting solutions that reflect your individual personality, tastes and plans. We believe that lighting should exceed functionality and transform your spaces into stunning, inspiring settings. Lighting that energizes, as well as enhances your life.

Kichler brings you an unparalleled variety of exciting style families, unique finishes, fresh colors and unequaled quality. Simply select a style and then choose among the many fixtures – from Chandeliers and Chandelettes® to Wall Sconces and Outdoor Lanterns along with matching Ceiling Fans – all provided within the very same distinctive family collection.

Lighting that defines your **style**™





Symbol Guide

D

DAMP



WET



Dark Sky



ADA Compliant



Hybrid

Symbol indicates the product best suited for Indoor use with self-ballasted, compact fluorescent bulbs sold through distributors throughout the U.S.



Hybrid Outdoor

Symbol indicates the product best suited for Outdoor use with self-ballasted, compact fluorescent bulbs sold through distributors throughout the U.S



Energy Star



California Title 24 Compliant



California Title 20 Compliant



Bulb Included



New Line Extension



Installation Instructions:

Fixture must be supported independently of the outlet box unless the outlet box is UL listed for the weight to be supported. Consult a qualified electrician / installer. Required installation parts included.



Fixture requires supply wire rated for at least 90° C.



Fixture requires supply wire rated for at least 75° C.

Table of Contents

COLLECTIONS s690

BATH s786

MIRRORS, LAMPS & ACCESSORIES \$804

OUTDOOR s834

LEGEND s847

INDEX s846

Bayonnes754	Laval [™] s742
Booth Bay™s836	Leanora [™] s696
Breton Mills™s772	Liscomb [™] s702
Candlebury [™] s778	McAdams [™] s840
Carthage [™] s782	Morton™s770
Casita [™] s781	Moxie [™] s750
Cat's Eye™s780	Neptune Places756
Celestial™s748	Olsay [™] s752
Chesapeake™s844	Owego [™] s744
Cloudbursts714	Parker Point™s710
Coburn [™] s774	Point Claire™s692
Courtney Point™s838	Punctuation [™] s764
Crystal Persuasion™s698	Ribbonss768
Ellerslie [™] s728	Rise [™] s734
Franceasi™s842	Riverview [™] s762
Garlands766	Roma Notte™s746
Gracie [™] s712	Sherbrooke [™] s722
Granby [™] s730	Suspensions760
Jardines706	Tully [™] s802
Lacey [™] s716	Wickham™s724



s689






Collections







Imagine you're sitting in a French-inspired bistro, and you'll get a taste of the style inspiration for the Point Claire Collection. White fabric shades sit atop generously sized and gently curving K9 Optical Crystal arms. Etched glass diffusers, underneath the shades, soften the light.



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42660 CH	(5) 60W (C)	36	28.25	66.5	103			Addl. chain 2996 CH. Addl. stem 4935 (12") CH
В	42658 CH	(3) 60W (C)	24	22.25	60.5	103			Addl. chain 2996 CH. Addl. stem 4935 (12") CH
С	42655 CH	(1) 60W (C)	10	11.25			7	6.75	



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	E	XTRA WIRE (CHAIN)	NOTES
Α	42656 CH	(4) 75W (M)	6	22.75	61	36		103	(18-25W CFL) Addl. chain 2996 CH. Addl. stem 2999 (12") CH
В	42659 CH	(4) 60W (C)	32.5	24.5	62.5		10.11	103	Addl. chain 2996 CH. Addl. stem 4935 (12") CH

 $\label{thm:local_decomposition} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$





	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
С	42035 CH	(3) 100W (M)	15	11.5			(23-30W CFL)
D	42661 CH	(3) 60W (C)	17	19.75	58	103	Addl. chain 2996 CH. Addl. stem 2999 (12") CH





	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42546 CH	(9) 60W (C)	34	35	109	44(72)			Addl. chain 4901 CH
В	42545 CH	(6) 60W (C)	28	28.75	103	49(72)			Addl. chain 4901 CH
С	42544 CH	(3) 60W (C)	21	24	98	54(72)			Addl. chain 2996 CH
D	42543 CH	(2) 60W (C)	15	13.75**			5.5	9.5**	

Measurements shown in inches. U.S. Patent Pending. ** Hgt. includes bulb



Vintage crystal perfume bottles are the inspiration for this Collection's striking center column. Octagonal shapes stack high and accent each white fabric shade. Etched glass diffusers soften the light.





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42031 CH (9) 6	60W (C/K)	37	31.5	105.5	50(72)			Addl. chain 4901 CH
В	42028 CH (1) 6	60W (C/K)	8.5	9			7.75	4.75	




_	_	_	
\sim	n	$\boldsymbol{\Gamma}$	
5/	u	u	

-	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42030 CH	(5) 60W (C/K)	30	21	95.5	60(72)	Addl. chain 2996 CH
В	42029 CH	(5) 60W (K) 😡	17	13.75	52	153(36)	Addl. chain 2996 CH

 $\label{thm:local_equation} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	E	XTRA WIRE (CHAIN)	NOTES
С	42034 CH	(3) 100W (M)	24	21	95		52(72)	(23-30W CFL) Addl. chain 2996 CH
D	42035 CH	(3) 100W (M)	15	11.5				(23-30W CFL)



Bring a dramatic focal point to any area of your home with the Liscomb Collection's stunning style. Cut and Polished Crystals* are held within stainless steel rings and illuminated by brilliant halogen points of light. Choose from a family of unique shapes – rounds, ovals and quarter spheres – and you'll have that striking centerpiece.

* Lead Crystal



s703

		INCAND.				OVRLL	 EXTRA W 	TRE
	INCAND. ITEM	BULB		W	Н	Н	(CHAIN	I) NOTES
Α	42665 CH	(8) 50W (G9)	0	20	21	59	105	Addl. chain 2996 CH. Addl. stem 2999 (12") CH

Liscomb™

Chrome Finish with Brilliant Cut and **Polished Crystals**


* Convertible

Two distinct lighting fixtures in one!

Semi Flush and Stem Mounted Pendant

Stem Mounted Pendant – 16.5" W, 9" B. Hgt. When converted to Semi Flush, 9" Hgt.

42669







B 42670 CH

s704

	INCAND. ITEM	INCAND. BULB		W	н		OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42669 CH	(3) 50W (G9)	0	16.5	9	i	47	99			Addl. chain 2996 CH. Addl. stem 2999 (12") CH
В	42670 CH	(2) 50W (G9)	0	12	6				5	2.5	0

Measurements shown in inches. U.S. Patent Pending. * Lead Crystals



s705

		INCAND.				OVRLL.		EXTRA WIRE	
	INCAND. ITEM	BULB		W	Н	Н	L	(CHAIN)	NOTES
С	42666 CH	(10) 50W (G9)	0	18	24.5	62	36	86	Addl. chain 2996 CH. Addl. stem 2999 (12") CH

Jardine

Chrome Finish and Double Shades with Cased Opal Glass Inner Shade



A

42392

СН

s706

Experience the alluring impression of soft, subtle candlelight. The Jardine Collection's double shades create the look with striking effect. Delicate, metallic-frosted outer shades soften bright white, interior shades to create a beautiful glow. Sculptural, laser-cut flourishes and handmade, Clear Polished K9 Optical Crystals create fascinating shapes and reflections.







INCAND. ITEM INCAND. BULB EXTRA WIRE (CHAIN) OVRLL. NOTES W Н Н ① Addl. chain 4909 CH Α **42392 CH** (16) 60W (C) 39.75 53.5 128 44(72) 42304 CH Addl. chain 4901 CH В (9) 60W (C) 39 36 44(72) 110 С 42301 CH (5) 60W (C) 25 29.5 103.5 49(72) Addl. chain 2996 CH 42303 CH (8) 60W (C) 32.25 106.5 47(72) Addl. chain 4901 CH D 28 47



		ICAND. BULB W	и н	OVRLL. H	EXTRA WIRE (CHAIN)	STEM TILT	EXT.	HCWO	NOTES
Α	42390 CH (1) 1	00W (M) 6.	5 9.25	47.5	62	90°			(23-30W CFL) Addl. stem 2999 (12") CH
В	42302 CH (6) 6	OW (C) 31.	25 31.5	105.5	47(72)				Addl. chain 2996 CH
С	42307 CH (2) 6	OW (C) 16	3 21.5				8	14.50	0
D	42306 CH (3) 60	0W (C) 15	.5 10.75						



	INCAND. INCAND. ITEM BULB	W	Н	OVRLL. H	L	EXTRA WIRE CHAIN	EXT.	HCWO	NOTES
E	42391 CH (3) 100W (M)	24	27.5	101.5		47(72)			(23-30W CFL) Addl. chain 4901 CH
F	42393 CH (4) 100W	17.75	33.5	107.5	35.75	42(72)			(23-30W CFL)
G	45291 CH (2) 50W (G9)	Q : 24	4.5				4	2.25	O ADA







	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42633 CH	(9) 60W (C)	36	33.5	71.5	93			Addl. chain 4901 CH. Addl. stem 4935 (12") CH
В	42631 CH	(5) 60W (C)	26	24.5	62.5	91			Addl. chain 2996 CH. Addl. stem 2999 (12") CH
С	42632 CH	(8) 60W (C)	36	28	66	89			Addl. chain 4901 CH. Addl. stem 4935 (12") CH
D	42634 CH	(1) 60W (C)	6.75	15.5			8.5	10.25	0
Е	42630 CH	(3) 60W (C)	17	16.5	54.5				Addl, chain 2996 CH, Addl, stem 2999 (12") CH



s712

This European-inspired Collection offers a touch of shabby chic. Our Sunrise Mist finish combines both silver and gold leafing to dramatic effect. Hanging K9 Optical Crystals, outlined in a decorative metal trim, adorn each level, and pearl bead details give the fixture an authentic, free-flowing style. Choose from two fabric shades to create a dressy effect.









	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42116 SRM	(8) 60W (C)	28.25	38	112	37(72)	Addl. chain 4901 SRM
В	42114 SRM	(3) 60W (C)	13	21.75	96	50(72)	Addl. chain 2996 SRM
С	42115 SRM	(5) 60W (C)	17	25.75	100	48(72)	Addl. chain 2996 SRM
D	4114		5	4.75			White Lace Fabric Shade with Silver Embroidery and Beige Trim
E	4115		5	4.75			Off-White Fabric Shade with Silver Embroidery and Beige/White Striped Trim



~74	
C / I	4

	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	65331	(3) 100W (M)	18	10.5					(18-25W CFL)
В	65332	(4) 150W (M)	22	21.5	59.5	89			(23-30W CFL) Addl. chain 2996 PN. Addl. stem 2999 (12") PN
С	69094	(1) 60W (C)	7	11.25			3.5	3.75	ADA
D	65357	(3) 100W (M)	14	36	74	78			(23-30W CFL) Addl. chain 2996 PN. Addl. stem 4935 (12") PN





LE



69157 ADA Compliant (LE)

Art Glass and Tiffany shades are natural materials - colors, patterns and textures will vary from piece to piece.

s715

	INCAND.	INCAND.			OVRLL.				
_	ITEM	BULB	W	Н	Н	(CHAIN)	EXT.	HCWO	NOTES
E	66057	(5) 60W (C/K)	26.75	22	60	92			Addl. chain 2996 PN. Addl. stem 2999 (12") PN
F	65330	(1) 100W (M)	5	10.5	48.5	59			(18-25W CFL) Addl. chain 2996 PN. Addl. stem 2999 (12") PN
G	69157	(2) 50W (G9) Q	24	4.5			4	2.25	O ADA





S	/	7	
_	•	•	4

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42383 AP	(12) 60W (C)	42	32	106	65(72)			Addl. chain 4901 AP
В	42382 AP	(9) 60W (C)	34.25	29.5	103.5	65(72)			Addl. chain 4901 AP
С	45281 AP	(1) 60W (C)	5	10.75			7	6.5	0
D	42381 AP	(5) 60W (C)	25	25.75	100	64(72)			Addl. chain 2996 AP



	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42384 AP	(1) 60W (C/K) Q	6	10.25	48.5	63	Add. chain 2996 AP and/or stem 2999 (12") AP, Krypton or G type bulb recommended, Sloped ceiling kit included
В	42385 AP	(3) 100W (M)	20	23.5	97.5	50(72)	(23-30W CFL) Addl. chain 2996 AP
С	42387 AP	✓ (4) 100W (M)	20	13.25			(23-30W CFL)
D	42386 AP	✓ (4) 100W (M)	15	10.75			(18-25W CFL)



E 42383 MIZ

s719

	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
E	42383 MIZ	(12) 60W (C)	42	32	106	65(72)			Addl. chain 4901 MIZ



s720

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42382 MIZ	(9) 60W (C)	34.25	29.5	103.5	65(72)			Addl. chain 4901 MIZ
В	42381 MIZ	(5) 60W (C)	25	25.75	100	64(72)			Addl. chain 2996 MIZ
С	45281 MIZ	(1) 60W (C)	5	10.75			7	6.5	0

 $\label{thm:measurements} \mbox{Measurements shown in inches. U.S. Patent Pending.}$



E 42385 MIZ



F 42387 MIZ



G 42386 MIZ

s721

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
D	42384 MIZ	(1) 60W (C/K) Q	6	10.25	48.5	62	Addl. chain 2996 MIZ and/or stem 2999 (12") MIZ, Krypton or G type bulb recommended, Sloped ceiling kit incl.
Е	42385 MIZ	(3) 100W (M)	20	23.5	97.5	50(72)	(23-30W CFL) Addl. chain 2996 MIZ
F	42387 MIZ	✓ (4) 100W (M)	20	13.25			፭ (23-30W CFL)
G	42386 MIZ	✓ (4) 100W (M)	15	10.75			(18-25W CFL)



Intricate mouldings ... tray ceilings ... ceiling medallions. **These** traditional architectural details will stand out beautifully a**gainst the** Sherbrooke Collection. It offers a traditional look and feel **without** overwhelming a room. Subtle curves and slender lines ad**d interest** while letting your home's natural character stand out.





White Etched Glass F 42678 OZ



G 45174 Wall Sconce OZ

s723

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42675 OZ	(6) 100W (M)	21.25	25.25	63.5	35.75	85			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 4935 (12") OZ
В	42674 OZ	(4) 100W (M)	25	21.75	60		85			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 4935 (12") OZ
С	42673 OZ	(3) 100W (M)	20.25	17.5	55.5		90			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
D	42676 OZ	(9) 100W (M)	32	31.75	70		118			(18-25W CFL) Addl. chain 4901 OZ. Addl. stem 4935 (12") OZ
E	42677 OZ	(1) 100W (M)	6.5	12.25	50.5		55			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
F	42678 OZ	(3) 75W (M)	15.5	11.75						(18-25W CFL)
G	45174 OZ	(1) 100W (M)	6.5	13.25				8.5	8.25	(18-25W CFL) May be installed with glass up or down



See matching bath fixtures on page s801.






	$\overline{}$	
\sim	٠,	-

	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	L	EXTRA WIRE (CHAIN)	NOTES
Α	42702 OZ	(6) 60W (C)	26	31.75	70	37.5	104	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
В	42701 OZ	(5) 60W (C)	26.75	23.75	62		104	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
С	42706 OZ	(3) 100W (M)	20.5	22.5	60.5		87	(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ

 $\label{lem:measurements} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42704 OZ	(9) 60W (C)	35.25	32.5	70.5	104	Addl. chain 4901 OZ. Addl. stem 2999 (12") OZ
В	42700 OZ	(3) 60W (C)	19.75	19	57	104	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ

 $\label{thm:measurements} \mbox{Measurements shown in inches. U.S. Patent Pending.}$



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	нсмо	NOTES
С	42705 OZ	(3) 60W (C)	13	15. 25	53.5	104	12.5	2.5	D Addl. chain 2996 0Z. Addl. stem 2999 (12") 0Z
D	42707 OZ	(1) 100W (M)	5.25	16.25	54.5	54			(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
Е	45300 OZ	(1) 60W (C)	5.5	12.75			8	7.25	0

 $\label{thm:measurements} \mbox{Measurements shown in inches. U.S. Patent Pending.}$



Elegantly understated, the Ellerslie Collection features delicate details that surprise and delight. Simple finials adorn the base of each satin-etched glass shade and tie in beautifully with the turned feet and legs found on most traditional furniture. A classically inspired finish allow you to personalize to your space.



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42625 AP	(3) 100W (M)	22	24	62	88			(23-30W CFL) Addl. chain 2996 AP. Addl. stem 2999 (12") AP
В	42623 AP	(5) 100W (M)	29	26.75	65	104			(23-30W CFL) Addl. chain 2996 AP. Addl. stem 2999 (12") AP
С	42627 AP	(3) 100W (M)	16.5	13.25					(18-23W CFL)
D	42626 AP	(1) 100W (M)	6.25	11	49	60			(23-30W CFL) Addl. chain 2996 AP. Addl. stem 2999 (12") AP
Е	45234 AP	(1) 100W (M)	6.25	14.5			8.5	8.5	(23-30W CFL) May be installed with glass up or down
F	42624 AP	(9) 100W (M)	34.75	42.5	80.5	104			(23-30W CFL) Addl. chain 4901 AP. Addl. stem 2999 (12") AP





INCAND. INCAND. OVRLL. EXTRA WIRE BULB HCWO NOTES ITEM W Н Н (CHAIN) EXT. (18-25W CFL) Addl. chain 4901 OZ. Addl. stem 4935 (12") OZ 42559 OZ (9) 100W (M) 33.25 31.5 69.5 104 (18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ В 42556 OZ (3) 100W (M) 19 16.5 54.5 104 ---С 42563 OZ (3) 75W (M) 17.25 14 (18-25W CFL) (18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ 42557 OZ (5) 100W (M) D 24 104 20.5 58.5 ---Е (18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ 42562 OZ (1) 100W (M) 5.25 6.75 45 62 F 45358 OZ (1) 100W (M) 5.25 14 ------7.5 7 (18-25W CFL) • May be installed with glass up or down.

 $\label{eq:measurements} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$

(3) 100W (M)

24.5

24.5

62.5

86

42561 OZ

G

(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42559 BPT	(9) 100W (M)	33.25	31.5	69.5	104	(18-25W CFL) Addl. chain 4901 BPT. Addl. stem 4935 (12") BPT
В	42556 BPT	(3) 100W (M)	19	16.5	54.5	104	(18-25W CFL) Addl. chain 2996 BPT. Addl. stem 2999 (12") BPT
С	42563 BPT	(3) 75W (M)	17.25	14			⊘ (18-25W CFL)

 $\label{thm:local_problem} \mbox{Measurements shown in inches. } \mbox{ U.S. Patent Pending.}$



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)		HCWO	NOTES
D	42557 BPT	(5) 100W (M)	24	20.5	58.5	104			(18-25W CFL) Addl. chain 2996 BPT. Addl. stem 2999 (12") BPT
E	42562 BPT	(1) 100W (M)	5.25	6.75	45	62			(18-25W CFL) Addl. chain 2996 BPT. Addl. stem 2999 (12") BPT
F	45358 BPT	(1) 100W (M)	5.25	14			7.5	7	(18-25W CFL) 🖸 May be installed with glass up or down.
G	42561 BPT	(3) 100W (M)	24.5	24.5	62.5	86			(23-30W CFL) Addl. chain 2996 BPT. Addl. stem 2999 (12") BPT

Sleek goes a long way with the Rise Collection. Curved arms draw the eye towards the ceiling in this dramatic transitional style. Two finish options and Satin-Etched Cased Opal Glass shades fit a variety of decor.



		INCAND.			(OVRLI	E	XTRA WIRE	
2	INCAND. ITEM	BULB	W	Н		Н		(CHAIN)	NOTES
Α	42531 CH	(8) 60W (C/K)	27.25	33	1	71		86	Addl. chain 2996 CH. Addl. stem 4935 (12") CH
В	42529 CH	(4) 60W (C/K)	28.5	22	14.14	60		87	Addl. chain 2996 CH. Addl. stem 2999 (12") CH




	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	L	EXTRA WIRE (CHAIN)	NOTES
Α	42530 CH	(6) 60W (C/K)	26.5	25.5	63.5	43.25	84	Addl. chain 2996 CH. Addl. stem 4935 (12") CH
В	42528 CH	(3) 60W (C/K)	21	21.25	59.5		148	Addl. chain 2996 CH. Addl. stem 2999 (12") CH

 $\label{thm:local_decomposition} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
С	42532 CH	(9) 60W (C/K)	35	31.25	69.5	88			Addl. chain 2996 CH. Addl. stem 4935 (12") CH
D	45228 CH	(1) 60W (C/K)	8	12.25			9	8.25	0
E	42527 CH	(1) 100W (M)	6.75	11.75	50	57			(18-25W CFL) Addl. chain 2996 CH. Addl. stem 2999 (12") CH
F	8882 PN	❖ (2) 75W (M)	16.5	5.5					(18-25W CFL) Satin-Etched Cased Opal Twist-On Glass
G	8881 PN	❖ (1) 100W (M)	14	4.75					Satin-Etched Cased Opal Twist-On Glass
Н	8880 PN	❖ (1) 75W (M)	10.5	4.25					O Satin-Etched Cased Opal Twist-On Glass



Sleek goes a long way with the Rise Collection. Curved arms draw the eye towards the ceiling in this dramatic transitional style. Two finish options and Satin-Etched Cased Opal Glass shades fit a variety of decor.

s738



		INCAND.			0	VRLL.	. E)	XTRA WIRE	
	INCAND. ITEM	BULB	W	Н		Н		(CHAIN)	NOTES
Α	42531 OZ	(8) 60W (C/K)	27.25	33	:	71		86	Addl. chain 2996 OZ. Addl. stem 4935 (12") OZ
В	42529 OZ	(4) 60W (C/K)	28.5	22		60		87	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	L	EXTRA WIRE (CHAIN)	NOTES
Α	42530 OZ	(6) 60W (C/K)	26.5	25.5	63.5	43.25	84	Addl. chain 2996 OZ. Addl. stem 4935 (12") OZ
В	42528 OZ	(3) 60W (C/K)	21	21.25	59.5		148	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ

 $\label{thm:local_decomposition} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
C	42532 OZ	(9) 60W (C/K)	35	31.25	69.5	88			Addl. chain 2996 OZ. Addl. stem 4935 (12") OZ
D	45228 OZ	(1) 60W (C/K)	8	12.25			9	8.25	0
E	42527 OZ	(1) 100W (M)	6.75	11.75	50	57			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
F	8882 OZ	❖ (2) 75W (M)	16.5	5.5					(18-25W CFL) Satin-Etched Cased Opal Twist-On Glass
G	8881 OZ	❖ (1) 100W (M)	14	4.75					Satin-Etched Cased Opal Twist-On Glass
Н	8880 OZ	❖ (1) 75W (M)	10.5	4.25					Satin-Etched Cased Opal Twist-On Glass

Measurements shown in inches. U.S. Patent Pending: C, D, E only.



A graceful Chrome Finish attracts attention, yet the Laval Collection's charm lies in its unique design details. Each arm elegantly originates from a different height along the center column. Then the Satin-Etched Cased Opal Glass shades align horizontally for a perfectly balanced soft contemporary look.





* Convertible

Two distinct lighting fixtures in one! Inverted Pendant and Semi Flush

Stem Mounted Pendant – 21" W., 8.25" B. Hgt. When converted to Semi Flush – 8.75" Hgt. additional sizes shown on page s787

Е


42209 CH



shown as Semi Flush

s743

	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42587 CH	(1) 100W (M)	5	14.5			6.25	9.5	(18-23W CFL) • May be installed with glass up or down
В	42584 CH	(8) 100W (M)	31.5	30	68	81			(18-23W CFL) Addl. chain 2996 CH. Addl. stem 4935 (12") CH. Sloped ceiling kit incl.
С	42583 CH	(6) 100W (M)	26	26	64	84			(18-23W CFL) Addl. chain 2996 CH. Addl. stem 4935 (12") CH. Sloped ceiling kit incl.
D	42586 CH	(1) 100W (M)	5	10	48	59			(18-23W CFL) Addl. chain 2996 CH. Addl. stem 4935 (12") CH.
E	42209 CH	(2) 100W (M)	21	8.25	46.5	4			(18-23W CFL)



The traditional pendant style gets a contemporary update with the Owego Collection. Polished Chrome arms nestle the glass shade, creating interest and form. Choose from pendant and semi-flush designs in two sizes to carry the look from room to hallway.



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42654 CH	(4) 100W (M)	30	28.75	67	82	(23-30W CFL) Addl. chain 2996 CH. Addl. stem 4935 (12") CH
В	42653 CH	(3) 100W (M)	22	22.25	60.5	87	(23-30W CFL) Addl. chain 2996 CH. Addl. stem 4935 (12") CH
С	42651 CH	(3) 75W (M)	17	11.25			☐ (18-23W CFL)
D	42652 CH	(3) 100W (M)	20	13.5			፭ (23-30W CFL)

Measurements shown in inches. Dimensions do not include shades. U.S. Patent Pending.





C 42470 SRM



45169 : Wall Sconce :

SRM

* Convertible

Two distinct lighting fixtures in one! Chain Drop Chandelier and Semi Flush

Chain Drop - 13" D., 18.5" B. Hgt. When converted to Semi Flush, 17.25" Hgt.

42468 SRM



s747

	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42471 SRM	(6) 100W (M)	30	33	107	38(72)			(23-30W CFL) Addl. chain 4901 SRM
В	42472 SRM	(9) 100W (M)	36	33	107	40(72)			(23-30W CFL) Addl. chain 4901 SRM
С	42470 SRM	(5) 100W (M)	26	28.75	103	43(72)			(23-30W CFL) Addl. chain 4901 SRM
D	45169 SRM	(1) 100W (M)	5	14.25			6.5	5.25	○ (23-30W CFL)
Е	42468 SRM	(3) 100W (M)	13	18.5	92.5	54(72)			Addl. chain 2996 SRM



Finishing touches abound in the Celestial Collection. Stylish fabric shades feature a "crinkled" effect that rest on an Umber Etched Glass Diffuser. These simulate true highlights and shadows with a gradated umber tone. Stacked crystal spheres form the center column and are repeated as accents below. Faux marble finials drape to complete the look.







	INCAND. ITEM	INCAND. BULB W		OVRLL. H H		L	EXTRA WIRE L (CHAIN)		HCWO	NOTES
Α	42104 CMZ	(4) 60W (C)	28	35.75	110		46(72)			Addl. chain 2996 CMZ
В	42103 CMZ	(1) 60W (C)	6.5	22.25				8	10	0
С	42192 CMZ	(3) 100W (M)	24	35	109		46(72)			(23-30W CFL) Addl. chain 2996 CMZ
D	42191 CMZ	(1) 100W (M)	6.5	16.25	90.5		19(72)			Addl. chain 2996 CMZ
E	42193 CMZ	(3) 100W (M)	15	13.75						(23-30W CFL)
F	42105 CMZ	(6) 60W (C)	26	41.5	115.5	44	43(72)			Addl. chain 4901 CMZ

$Moxie^{m}$


Cambridge Bronze Finish
with Variegated Gold
and Linen Fabric Shade with
Satin-Etched Glass Diffuser



s750

A warm, smooth contemporary statement. This updated retro design gives a warm touch to a very geometric silhouette. Horizontal bars curve in and out, balancing each other in a yin and yang. A rectangular linen fabric shade and white etched glass diffuser soften the look.





	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42060 CMZ	(2) 40W (C)	12	8				7	4	
В	42099 CMZ	(4) 100W (M)	16	8	46	48	104			(23-30W CFL) Addl. chain 2996 CMZ. Addl. stem 2999 (12") CMZ. Sloped ceiling kit incl.
С	42097 CMZ	(2) 100W (M)	16	12.75						(23-30W CFL)
D	42098 CMZ	(3) 100W (M)	24	8.25	46.5		95			
E	42062 CMZ	(2) 100W (M)	18	8	46		102			(23-30W CFL) Addl. chain 2996 CMZ. Addl. stem 4935 (12") CMZ. Sloped ceiling kit incl.
F	42061 CMZ	(3) 100W (M)	12	8	46	36	100			(23-30W CFL) Addl. chain 2996 CMZ. Addl. stem 2999 (12") CMZ. Sloped ceiling kit incl.



Dynamic in design, yet oh-so simple, the Olsay Collection defies conventional design to create a casually modern style. Intersecting perfect circles create an open orb form that surrounds the Satin-Etched Cased Opal Glass shades.



	INCAND. ITEM	INCAND. BULB		W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42506 OZ	(4) 50W (G9)	0	28.75	28.75	67	86			Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
В	42505 OZ	(3) 50W (G9)	0	22.75	22.75	61	90			Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
С	42507 OZ	(1) 50W (G9)	0	10	10			9.75	5	May be installed with glass up or down.

 $\label{thm:local_problem} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$



Clean geometric shapes have influenced everything from architecture to fashion. The Bayonne Collection gives these lines a casual twist with multi-hued cut stone shades set against a gentle arch design. The result is a "floating" feel that evokes both strength and beauty.





Art Glass and Tiffany shades are natural materials - colors, patterns and textures will vary from piece to piece.

s755

	INÇAND. ITEM	INCAND. BULB	w	н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	60282	(2) 60W (M)	5.25	21.25		16				On-off, in-line switch
В	65327	(1) 60W (C/K)	4.75	6.25	44.5	13	62			Addl. chain 2996 BK. Add. Stem 2999 (12") BK. Sloped ceiling kit incl.
С	69092	(1) 60W (C/K) Q	12.75	7				5.25	3.5	0
D	65326	(3) 60W (C/K) Q	5	11	43	41	101			Addl. chain 2996 BK. Add. Stem 2999 (12") BK. Sloped ceiling kit incl.

Neptune Place

Colton Bronze[™] and Satin-Etched Cased Opal Glass



The Neptune Place Collection proves that simple can be dramatic and that balance is the key to beautiful design. Intersecting ovals align perfectly as Satin-Etched Cased Opal glass shades rise towards the ceiling. Deep, rich Colton Bronze finish softens the contemporary style.



s756



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	STEM TILT	NOTES
Α	42539 CTZ	(10) 60W (C/K)	16	35.25	73.5	41	82	90°	Addl. stem 4935 (12") CTZ





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	STEM TILT	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42534 CTZ	(1) 200W (M)	14	32	70	90°	68			(30-52W CFL) Addl. stem 4935 (12") CTZ
В	42536 CTZ	(1) 60W (C/K)	6.75	16.5				5	8	0
С	42535 CTZ	(1) 200W (M)	11	21						(30-52W CFL)
D	4134		22	7						Optional White Linen fabric shade for 42534 CTZ





			INCAND.			OVRLL.		STEM	EXTRA WIRE	
		INCAND. ITEM	BULB	W	Н	Н	L	TILT	(CHAIN)	NOTES
E		42538 CTZ	(6) 60W (C/K)	17.5	33.75	72	26.25	90°	83	Addl. stem 4935 (12") CTZ
I	F	42537 CTZ	(1) 60W (C/K)	6.75	17	55		90°	89	Addl. stem 4935 (12") CTZ








	INCAND. ITEM	INCAND. BULB		w	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	45315 BK	(1) 60W (C/K)	0	9.5	7				4.5	3.5	0
ь	42018 BK	(5) 60W (C/K)	0	4.05	.5	42.5	50.75	98			Addl. chain 2996 BK. Addl. stem 2999 (12") BK. Sloped ceiling kit incl.
С	42016 BK	(1) 60W (C/K)	0	4	5	43	9.25	62			Addl. chain 2996 BK. Addl. stem 2999 (12") BK. Sloped ceiling kit incl.
D	42017 BK	(3) 60W (C/K)	0	4.75	5	43	41	101			Addl. chain 2996 BK. Addl. stem 2999 (12") BK. Sloped ceiling kit incl.

Measurements shown in inches. U.S. Patent Pending.

s761



Simplicity, geometric forms and color are the hallmarks of the Prairie movement, and the Riverview Collection delivers on all fronts. Warm neutrals – from bisque to honey – come alive in art glass and cut stone. The illuminated column and main light add interest to these dynamic fixtures.



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	NOTES
Α	65338	(4) 100W (M)	10	8.75	47	36	• นา	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ. Sloped ceiling kit incl.
В	65337	(4) 60W (C/K) (1) 60W (C/K)	19	13.25	51.5		95	Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
С	66051	(4) 60W (C/K) (2) 60W (C/K)	10	16.25	54.5	33	90	Addl. chain 2996 0Z. Addl. stem 2999 (12") 0Z
D	65339	(4) 60W (C/K)	17	7.75				



Whether you're hoping to add a "!" in a room or you want to leave people wanting more ... the Punctuation Collection delivers. A perforated metal filigree pattern surrounds white linen glass shades, creating a unique style. The deep, rich Mission Bronze finish is set perfectly against the clean white linen glass.







	INCAND. ITEM	INCAND. BULB		w	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42052 MIZ	(3) 100W (M)		20.75	24.75	99		49(72)			(23-30W CFL) Addl. chain 2996 MIZ
В	45351 MIZ	(2) 60W (K)	0	24	4.5				4	2.25	O ADA
С	42054 MIZ	(6) 100W (M)		15	27.75	102	42	47(72)			Addl. chain 2996 MIZ
D	42053 MIZ	(4) 100W (M)		12	23.25	97.5	33	51(72)			(23-30W CFL) Addl. chain 2996 MIZ
E	45353 MIZ	(4) 60W (K)	0	36	4.5				4.5	2.25	0
F	42051 MIZ	(3) 100W (M)	- 1	15	11.25	85.5		61(72)			(23-30W CFL) Addl. chain 2996 MIZ

Measurements shown in inches.





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42356 AP, SWZ	(9) 60W (C/K)	36	37.25	111.5	43(72)			Addl. chain 4901 AP, SWZ
В	42353 AP, SWZ	(3) 60W (C/K)	23	22.25	96.5	48(72)			Addl. chain 2996 AP, SWZ
С	42362 AP, SWZ	(3) 100W (M)	19.75	13.75					(18-23W CFL)
D	45153 AP, SWZ	(1) 60W (C/K)	8.25	15.25			8.5	5.5	May be installed with glass up or down.
E	42358 AP, SWZ	(12) 60W (C/K)	32.25	48	122	37(72)			Addl. chain 4901 AP, SWZ
F	42364 AP, SWZ	(1) 60W (C/K)	7	13.5	51.5	57			Addl. chain 2996 AP, SWZ. Addl. stem 2999 (12") AP, SWZ
G	42355 AP, SWZ	(6) 60W (C/K)	30	29.75	104	50(72)			Addl. chain 2996 AP, SWZ

Measurements shown in inches. U.S. Patent Pending.

AP Antique Pewter SWZ Shadow Bronze





	INCAND ITEM	INCAND.	147		OVRLL.	EXTRA WIRE	EV.	110140	NOTES
	INCAND. ITEM	BULB	W	Н	Н	(CHAIN)	EXI.	HCWO	NOTES
Α	42519 BK	(1) 100W (M)	5.5	14.5			8	6.75	
В	42524 BK	(9) 100W (M)	35.75	32.5	70.5	99			(23-30W CFL) Addl. chain 4901 BK. Addl. stem 4935 (12") BK. Slope ceiling kit incl.
С	42521 BK	(1) 100W (M)	5.5	12.5	50.5	57			(23-30W CFL) Addl. chain 2996 BK. Addl. stem 2999 (12") BK
D	42523 BK	(5) 100W (M)	28.25	24.25	62.5	86			(23-30W CFL) Addl. chain 2996 BK. Addl. stem 4935 (12") BK. Slope ceiling kit incl.
E	42522 BK	(3) 100W (M)	19.5	21	59	86			(23-30W CFL) Addl. chain 2996 BK. Addl. stem 2999 (12") BK. Slope ceiling kit incl.
F	8880 BK	❖ (1) 75W (M)	10.5	4.25					Satin-Etched Cased Opal Twist-On Glass
G	8881 BK	❖ (1) 100W (M)	14	4.75					Satin-Etched Cased Opal Twist-On Glass
Н	8882 BK	❖ (2) 75W (M)	16.5	5.5					18-25W CFL) Satin-Etched Cased Opal Twist-On Glass



Traditional Craftsman style and beautiful art glass and cut stone make the Morton Collection so unique. Neutral colors add a warmth and charm, whether the fixtures are illuminated or not. The square accents counterbalance the circular shades, creating a true Arts & Crafts inspired collection.



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	66054	(5) 100W (M)	27	20.25	58.5	104	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
В	65355	(4) 150W (M)	26	26	64	85	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
С	65354	(1) 100W (M)	9	8	46	62	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
D	65356	(3) 100W (M)	19.75	10.75			(23-30W CFL)





INCAND. ITEM	BULB	W	Н	Н	(CHAIN)	EXT.	HCWO	NOTES
42683 DBK	(9) 100W (M)	34.75	27	65	104			(18-23W CFL) Addl. chain 4901 DBK. Addl. stem 4935 (12") DBK
42681 DBK	(4) 100W (M)	25	16.25	55	104			(18-23W CFL) Addl. chain 2996 DBK. Addl. stem 2999 (12") DBK
45182 DBK	(1) 100W (M)	5.5	15.25			5.75	8.75	(18-23W CFL)
42682 DBK	(5) 100W (M)	28	19.5	57.5	104			(18-23W CFL) Addl. chain 2996 DBK. Addl. stem 2999 (12") DBK
42686 DBK	(1) 100W (M)	5	7.25	45.5	62			(18-23W CFL) Addl. chain 2996 DBK. Addl. stem 2999 (12") DBK
	42683 DBK 42681 DBK 45182 DBK 42682 DBK	42683 DBK (9) 100W (M) 42681 DBK (4) 100W (M) 45182 DBK (1) 100W (M) 42682 DBK (5) 100W (M)	42683 DBK (9) 100W (M) 34.75 42681 DBK (4) 100W (M) 25 45182 DBK (1) 100W (M) 5.5 42682 DBK (5) 100W (M) 28	42683 DBK (9) 100W (M) 34.75 27 42681 DBK (4) 100W (M) 25 16.25 45182 DBK (1) 100W (M) 5.5 15.25 42682 DBK (5) 100W (M) 28 19.5	42683 DBK (9) 100W (M) 34.75 27 65 42681 DBK (4) 100W (M) 25 16.25 55 45182 DBK (1) 100W (M) 5.5 15.25 42682 DBK (5) 100W (M) 28 19.5 57.5	42683 DBK (9) 100W (M) 34.75 27 65 104 42681 DBK (4) 100W (M) 25 16.25 55 104 45182 DBK (1) 100W (M) 5.5 15.25 42682 DBK (5) 100W (M) 28 19.5 57.5 104	42683 DBK (9) 100W (M) 34.75 27 65 104 42681 DBK (4) 100W (M) 25 16.25 55 104 45182 DBK (1) 100W (M) 5.5 15.25 5.75 42682 DBK (5) 100W (M) 28 19.5 57.5 104	42683 DBK (9) 100W (M) 34.75 27 65 104 42681 DBK (4) 100W (M) 25 16.25 55 104 45182 DBK (1) 100W (M) 5.5 15.25 5.75 8.75 42682 DBK (5) 100W (M) 28 19.5 57.5 104

OVRLL. EXTRA WIRE

 F
 42685 DBK
 (3) 100W (M)
 15
 10.5
 -- -- -- -- E] (23-30W CFL)

 G
 42684 DBK
 (3) 100W (M)
 20
 22.5
 60.5
 87
 -- -- E] (23-30W CFL) Addl. chain 2996 DBK. Addl. stem 4935 (12") DBK

Measurements shown in inches. U.S. Patent Pending.

INCAND.



Sculptural in shape, the Colburn Collection blends a rich Olde Iron
Finish with clean lines and White Textured Glass. It's the perfect way to
bring hand-forged artistry into your home while still adding modern flair.



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	L	EXT.	HCWO	NOTES
Α	42609 OI	(1) 100W (M)	5	16.25				6.5	11.25	(23-30W CFL) May be installed with glass up or down
В	42604 OI	(9) 100W (M)	32	29.25	67.5	79				(23-30W CFL) Addl. chain 4901 Ol. Addl. stem 4935 (12") Ol
С	42607 OI	(3) 100W (M)	17.75	18.75	57	91				(23-30W CFL) Addl. chain 2996 Ol. Addl. stem 4935 (12") Ol
D	42603 OI	(6) 100W (M)	18	27.5	58	88	36			(23-30W CFL) Addl. chain 4901 Ol. Addl. stem 4935 (12") Ol



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
Α	42602 OI	(5) 100W (M)	24.75	24.75	63	84	(23-30W CFL) Addl. chain 4901 Ol. Addl. stem 4935 (12") Ol
В	42606 OI	(4) 100W (M)	24	23.75	62	87	(23-30W CFL) Addl. chain 2996 Ol. Addl. stem 4935 (12") Ol
С	42605 OI	(3) 100W (M)	15	11			፭ (18-23W CFL)



		INCAND.			OVRLL.	EXTRA WIRE			
	INCAND. ITEM	BULB	W	Н	Н	(CHAIN)	EXT.	HCWO	NOTES
D	42600 OI	(3) 100W (M)	12	13.75	52	94	12.5	2.5	(23-30W CFL) Addl. chain 2996 Ol. Addl. stem 2999 (12") Ol
E	42608 OI	(1) 100W (M)	4.75	16	54	54			(23-30W CFL) Addl. chain 2996 Ol. Addl. stem 2999 (12") Ol









	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42235 CTZ	(8) 60W (C)	20	25.75	100	36	45(72)			Addl. chain 2996 CTZ
В	42234 CTZ	(8) 60W (C)	28	27.25	101.5		43(72)			Addl. chain 2996 CTZ
С	45232 CTZ	(1) 60W (C)	4.75	10				4.75	6	Hgt. includes bulb
D	42232 CTZ	(2) 60W (C)	12.5	15.75	90		51(72)	8	11	O Addl. chain 2996 CTZ
E	42233 CTZ	(6) 60W (C)	24	24	98		46(72)			Addl. chain 2996 CTZ
F	4010		4.5	4						Linen shade
G	4011		4.5	4						Mica shade

Measurements shown in inches. Dimensions do not include shades.





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	69093	(1) 60W (C)	6	12			4	6	ADA
В	65329	(1) 100W (M)	8	8.25	46.5	62			(18-25W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
С	60281	(1) 150W (M) (1) 40W (C)	18	28					Shade: 8 x 16 X 10 x 18 X 9.5. Rectangular Linen Hard Back. 3-Way switch.
D	65328	(4) 150W (M)	21.25	23.5	61.5	86			(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ

Measurements shown in inches.

s780






	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	NOTES
E	65333	(1) 100W (M)	6.5	7.5	45.5	62	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ
F	65336	(1) 60W (M)	6.5	7.25	129.5		(18-23W CFL)
G	65334	(1) 100W (M)	9.25	9	131.5		(23-30W CFL)
Н	65335	(1) 100W (M)	6.5	8.25	46.5	58	(23-30W CFL) Addl. chain 2996 OZ. Addl. stem 2999 (12") OZ

Measurements shown in inches.

colors, patterns and textures will vary from piece to piece.



Elements of nature often add visual interest to a space, and the Carthage Collection takes this inspiration to heart. A natural stone bowl, crafted from marbled natural stone, forms the centerpiece. Olde Bronze hand-forged ironwork surrounds it with clean lines and balanced form.



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	42616 OZ	(3) 100W (M)	30.25	36.5	110.5	38(72)			(23-30W CFL) Addl. chain 4901 OZ
В	42615 OZ	(3) 100W (M)	26.25	29.75	104	46(72)			(23-30W CFL) Addl. chain 4901 OZ
С	42617 OZ	(2) 100W (M)	21.25	10.75					(23-30W CFL)
D	42618 OZ	✓ (2) 60W (C)	21.25	6			10.75	3	0

Measurements shown in inches. Dimensions do not include shades. U.S. Patent Pending.

Semi Flush



* Convertible

Two distinct lighting fixtures in one!

Pendant and Semi Flush

Pendant - 26" W., 8" B. Hgt.

When converted to Semi Flush, 9.25" Hgt.

C 42210 CH

Pendant - 16" W., 7" B. Hgt.

When converted to Semi Flush, 7.75" Hgt.

D 42208 CH

Pendant – 21" W., 8.25" B. Hgt.

When converted to Semi Flush, 8.75" Hgt.

E 42209 CI



s784

-	INCAND. ITEM	FINISH	INCAND. BULB	W	н	OVRLL. H	NOTES
Α	42486	oz	(4) 100W (M)	22	13.5		(25-30W CFL)
В	3677	NI, OZ	✓ (4) 100W (M)	24	12.5		(23-30W CFL)
С	42210	СН	(3) 100W (M)	26	9.25	47	(18-23W CFL) Addl. chain 2996 CH. Addl. stems 4935 (12") CH

Measurements shown in inches. Dimensions do not include shades. U.S. Patent Pending: A, B.



	INCAND. ITEM	FINISH	INCAND. BULB	w	Н	OVRLL. H	STEM TILT	EXTRA WIRE (CHAIN)	NOTES
D	42208	СН	(1) 100W (M)	16	7.75	45			(18-23W CFL) Addl. chain 2996 CH. Addl. stems 2999 (12") CH
E	42209	СН	(2) 100W (M)	21	8.75	46.5			(18-23W CFL) Addl. chain 2996 CH. Addl. stems 2999 (12") CH
F	42122	NI	(3) 150W (M)	24	12.5	50.5	90°	100.5	(32-50W CFL) Addl. stems 2999 (12") NI.
G	42121	NI	(3) 100W (M)	20	10.5	48.5	90°	101	(23-30W CFL) Addl. stems 2999 (12") NI.

Measurements shown in inches. Dimensions do not include shades. U.S. Patent Pending.








	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	STEM TILT	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	45291 CH	(2) 50W (G9) Q	24	4.5				4	2.25	D ADA
В	42307 CH	(2) 60W (C)	16	21.5				8	14.50	0
С	42390 CH	(1) 100W (M)	6.5	9.25	47.25	90°	62			(23-30W CFL) Addl. stem 2999 (12") CH
D	45293 CH	(4) 50W (G9) Q	36	4.5				4	2.25	O ADA

Cloudburst

Polished Nickel Finish and Wispy White Art Glass with Clear Jewel Accents



E 69094 Wall Sconce ADA Compliant



Fixture can be installed on the wall horizontally or vertically.

s789

	INCAND. ITEM	INCAND. BULB	w	н	EXT.	нсмо	NOTES
E	69094	(1) 60W (C)	7	11.25	3.5	3.5	Ana
F	69158	(4) 50W (G9) Q	36	4.5	4.5	2.25	0
G	69157	(2) 50W (G9) Q	24	4.5	4	2.25	O 🔤

 $\label{eq:measurements} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending}$

Lacey™

Mission Bronze™ Finish and Satin-Etched Inner Diffusers with White Translucent Organza Outer Shades



s790

	INCAND. ITEM	INCAND. BULB	W	Н	EXT	HCWO	NOTES
Α	45282 MIZ	(2) 60W (C)	14	10	8.25	6.75	0
В	45283 MIZ	(3) 60W (C)	22	10	8.25	7	0
С	45284 MIZ	(4) 60W (C)	31	10	8.25	7	0

Lacey™

Antique Pewter Finish and Satin-Etcheo Cased Opal Inner Diffusers with White Translucent Organza Outer Shades $\begin{tabular}{ll} See matching mirror 41011 AP \\ on page 385 of the Kichler Catalog K110. \\ \end{tabular}$





Satin-Etched Cased Opal Inner Diffuser with White Translucent Organza Outer Shades with Gray Trim



E 45282 AP



F 45283 AD



G 45284 AP

s791

	INCAND. ITEM	INCAND. BULB	W	н	EXT	HCWO	NOTES
D	45281 AP	(1) 60W (C)	5	10.75	7	6.5	0
Е	45282 AP	(2) 60W (C)	14	10	8.25	6.75	0
F	45283 AP	(3) 60W (C)	22	10	8.25	7	0
G	45284 AP	(4) 60W (C)	31	10	8.25	7	0



	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	45358 OZ	(1) 100W (M)	5.25	14	7.5	7	(18-25W CFL) O May be installed with glass up or down
В	45359 OZ	(2) 100W (M)	17	9.5	6.5	3	(18-25W CFL) O May be installed with glass up or down
С	45360 OZ	(3) 100W (M)	25	9.5	6.5	6.5	(18-25W CFL) O May be installed with glass up or down
D	41061 AP, OZ		22.5	29	2		Bellamy™ Collection, Antique Pewter and/or Olde Bronze® Finishes
E	45361 OZ	(4) 100W (M)	32.75	9.5	6.75	6.5	(18-25W CFL) (18-25W CFL) (18-25W CFL) (18-25W CFL)



Brushed Pewter Finish and Satin-Etched Cased Opal Glass











INCAND. BULB INCAND. ITEM EXT. HCWO NOTES w Н F 7 **45358 BPT** : (1) 100W (M) 5.25 14 7.5 May be installed with glass up or down G 45359 BPT (2) 100W (M) 17 May be installed with glass up or down 9.5 6.5 3 Н 45360 BPT (3) 100W (M) 25 9.5 6.5 6.5 May be installed with glass up or down 41120 24 .75 J 30 Κ 32.75 45361 BPT : (4) 100W (M) 9.5 6.75 6.5 May be installed with glass up or down

Measurements shown in inches. U.S. Patent Pending

s793



s794

	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	45228 CH	(1) 60W (C/K)	8	12.25	9	8.25	0
В	45229 CH	(2) 60W (C/K)	18.5	7.25	9.75	3	0
С	45230 CH	(3) 60W (C/K)	26	7.25	9.75	3	0
D	45231 CH	(4) 60W (C/K)	35.25	7.25	9.75	3	0

 $\label{eq:measurements} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$

Rise™

Brushed Nickel Finish and Satin-Etched Cased Opal Glass See matching mirror 41011 NI on page 385 of the Kichler Catalog K110.





	INCAND. ITEM	INCAND. BULB	w	Н	EXT.	HCWO	NOTES
E	45228 NI	(1) 60W (C/K)	8	12.25	9	8.25	0
F	45229 NI	(2) 60W (C/K)	18.5	7.25	9.75	3	0
G	45230 NI	(3) 60W (C/K)	26	7.25	9.75	3	0
Н	45231 NI	(4) 60W (C/K)	35.25	7.25	9.75	3	0



-	INCAND. ITEM	INCAND. BULB	w	Н	EXT.	HCWO	NOTES
Α	45228 OZ	(1) 60W (C/K)	8	12.25	9	8.25	0
В	45229 OZ	(2) 60W (C/K)	18.5	7.25	9.75	3	0
С	45230 OZ	(3) 60W (C/K)	26	7.25	9.75	3	0
D	45231 OZ	(4) 60W (C/K)	35.25	7.25	9.75	3	0



Distressed Black Finish and Satin-Etched Cased Opal Glass







F 45183 DBK



G 45184 DBK

E 45182 DBK



s797

	INCAND. ITEM	INCAND. BULB	w	н	EXT.	HCWO	NOTES
E	45182 DBK	(1) 100W (M)	5.25	15.25	6	8.75	May be installed with glass up or down
F	45183 DBK	(2) 100W (M)	16	8	6	2.75	May be installed with glass up or down
G	45184 DBK	(3) 100W (M)	24.25	8.75	6	6	May be installed with glass up or down
Н	45185 DBK	(4) 100W (M)	32	9.5	6.5	7.25	May be installed with glass up or down



	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	45234 AP	(1) 100W (M)	6.25	14.5	8.5	8.5	(23-30W CFL) May be installed with glass up or down
В	45235 AP	(2) 100W (M)	14.75	10.25	7	3	(23-30W CFL) May be installed with glass up or down
С	45236 AP	(3) 100W (M)	24	10.25	7	7.25	(23-30W CFL) May be installed with glass up or down
D	45237 AP	(4) 100W (M)	33.25	10.25	7	7.25	(23-30W CFL) May be installed with glass up or down



Black Finish and Satin-Etched Cased Opal Glass



s799

	INCAND. ITEM	INCAND. BULB		W	Н		EXT.		HCWO	NOTES
Α	45315 BK	(1) 60W (C/K)	0	9.5	7	i	4.5		3.5	0
В	45316 BK	(2) 60W (C/K)	0	20	5	-	5	100	2.5	0
С	45317 BK	(3) 60W (C/K)	0	30.25	5	i	5		2.5	0
D	45319 BK	(5) 60W (C/K)	0	50.75	5	1	5	200	2.5	0

D 45319 BK



	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	45174 OZ	(1) 100W (M)	6.5	13.25	8.5	8.25	May be installed with glass up or down
В	45175 OZ	(2) 100W (M)	17.5	8.75	7.25	3.25	May be installed with glass up or down
С	45176 OZ	(3) 100W (M)	24.5	8.75	7.25	5.25	May be installed with glass up or down
D	45177 OZ	(4) 100W (M)	33.5	8.75	7.25	5.25	May be installed with glass up or down



Olde Bronze® Finish and Satin-Etched Cased Opal Glass



See matching mirror 41011 0Z on page 385 of the Kichler Catalog K110.

F 45301 OZ



E 45300 OZ



H 45303 OZ

	INCAND. ITEM	INCAND. BULB	w	н	EXT.	HCWO	NOTES
E	45300 OZ	(1) 60W (C)	5.5	12.75	8	7.25	0
F	45301 OZ	(2) 100W (M)	17	9.5	6	2.5	May be installed with glass up or down
G	45302 OZ	(3) 100W (M)	25.5	9.5	6	7	May be installed with glass up or down
Н	45303 OZ	(4) 100W (M)	29	9.5	6	7	May be installed with glass up or down

Measurements shown in inches. U.S. Patent Pending

s801

Tully

Olde Bronze™ Finish and Satin-Etched Cased Opal Glass



s802

	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	45149 OZ	(1) 100W (M)	5	6.5	7	4	May be installed with glass up or down
В	45150 OZ	(2) 100W (M)	15	6.5	7	2.5	May be installed with glass up or down
С	45151 OZ	(3) 100W (M)	24	6.5	7	4	May be installed with glass up or down
D	45152 OZ	(4) 100W (M)	32	6.5	7	4	May be installed with glass up or down

Tully

See matching mirror 41011 AP on page 385 of the Kichler Catalog K110.













s803

	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
E	45149 AP	(1) 100W (M)	5	6.5	7	4	May be installed with glass up or down
F	45150 AP	(2) 100W (M)	15	6.5	7	2.5	May be installed with glass up or down
G	45151 AP	(3) 100W (M)	24	6.5	7	4	May be installed with glass up or down
Н	45152 AP	(4) 100W (M)	32	6.5	7	4	May be installed with glass up or down









78126 Link™ Beveled Mirror В

s807

78125 Α

Rebound™ Beveled Mirror Distressed Silver Leaf Finish.

Overall Size: 30" Dia. Mirror Size: 11.5" Dia. Depth: 1.5"

Weight: 7 lbs.

78126 В

Link[™] Beveled Mirror

Distressed Silver Leaf Finish Overall Size: 40.5" x 52.5" Mirror Size: 23" x 35" Depth: 2"

Weight: 25 lbs.

Mounts horizontal or vertical





s809



78121


Bling Beveled Mirror


Multi Beveled Tile Mirrored Frame with Mirror Inset Overall Size: 28.5" x 38" Mirror Size: 19" x 28.5"


Depth: 2.5" Weight: 37 lbs.

Mounts horizontal or vertical

Mirrors A 78127 Solstice™ Beveled Mirror







s813

A 78130

Glenn™ Mirror

Antique Mirror with Antique Black Metal Frame

Overall Size: 30" Sq. Mirror Size: 18" Sq. Depth: 1.5" Weight: 21 lbs. Mounts square

В 78120

Scroll Beveled Mirror

Etched and Beveled Mirrored Frame Overall Size: 35.5" Sq. Mirror Size: 20" Sq.

Depth: 1" Weight: 32 lbs.

Mounts square or diagonal

C 78122

Elara™ Beveled Mirror

Distressed Light Brown Finish Overall Size: 40" Sq. Mirror Size: 28" Sq. Depth: 1"

Weight: 37 lbs.

Mounts square or diagonal





Mirror Size: 13" Sq. Depth: 1" Weight: 18 lbs.

Mounts square or diagonal

Depth: 1.5"

Weight: 35 lbs.

Mounts horizontal or vertical

Mirrors





78132

Crimson Leaf™ Beveled Mirror Reverse Paint Glass Frame with

Antique Gold Trim
Overall Size: 36" x 46"
Mirror Size: 25" x 35"
Depth: 1"

Weight: 43 lbs.

Mounts horizontal or vertical



Baroness™ Mirror

Antique Washed Charcoal Finish with Silver Highlights
Overall Size: 15.5" x 74"
Mirror Size: 10" x 50"
Depth: 1.5"
Weight: 33 lbs.
Mounts vertical



78119 Petite Oval Beveled Mirror

Antique Etched Beveled Venetian Glass Frame Overall Size: 21" x 28" Mirror Size: 13" x 17" Depth: 1" Weight: 10 lbs. Mounts vertical





A 70784 Orb Table Lamp

Antique Pewter Finish
Hgt. 30"
Shade: 16.5" x 17" x 11"
Latte Hard Back
3-Way Turn Switch
150-W. (M)



Title 20 Compliant.

Helene





78118 Wall Lamp В

Fixture can be plugged into a standard wall outlet or mounted to a junction box.

78121 Bling Mirror

See full product image on page s809

78121

Bling Mirror

Multi Beveled Tile Mirrored Frame with Tile Mirror Inset Overall Size: 28.5" x 38" Mirror Size: 19" x 28.5" Depth: 2.5" Weight: 37 lbs.

78118

Helene Wall Lamp Brushed Nickel Finish with Acrylic Discs Wd. 11", Hgt. 36.25", Ext. 12.5", HCWO 13" Shade: 10.5" x 11" x 8" White Hard Back On-Off Rocker Switch 100-W. (M)



Title 20 Compliant.







Distressed Light Brown with Black Finish





Title 20 Compliant.

150-W. (M)

100-W. (M)

Urban Traditions





B 70781 BZ Rebecca™ Table Lamp

s826

70781

Gwen[™] Table Lamp

Antique Nickel Finish with Clear Glass Hgt. 30" Shade: 15.5" x 16.5" x 11" Linen Hard Back 3-Way Turn Switch 150-W. (M)

70781 BZ

Rebecca[™] Table Lamp

Bronze Finish with Champagne Linen Glass Hgt. 30" Shade: 15.5" x 16.5" x 11" Linen Hard Back with Brown Cord Trim 3-Way Turn Switch 150-W. (M)









70779 Table Lamp

70778

Connor™ Table Lamp Hand-Painted Chestnut Bronze and Rubbed Olde Silver Finish Hgt. 27"

Hgt. 27"
Shade: 14" x 14" x 11"
Ivory Corduroy Square Soft Back
3-Way Turn Switch
150-W. (M)

D 74258

Connor™ Floor Lamp

Hand-Painted Chestnut Bronze and Rubbed Olde Silver Finish Hgt. 60"

Shade: 16" x 16" x 12" Ivory Corduroy Square Soft Back On-Off Foot Switch 150-W. (M)

70779

Connor™ Table Lamp

Hand-Painted Chestnut Bronze and Rubbed Olde Silver Finish Hgt. 28" Shade: 8.5" x 8.5" x 20" Ivory Corduroy Square Soft Bac

lvory Corduroy Square Soft Back On-Off, In-Line Switch 75-W. (M)

Title 20 Compliant.

s827







s828

78130 Α

Glenn™ Mirror Antique Mirror

with Antique Black Metal Frame Overall Size: 30" Sq. Mirror Size: 18" Sq.

Depth: 1.5"

Weight: 21 lbs.

70796 PN

Coil Adjustable Table Lamp

Polished Nickel Finish

Hgt. 28.5" – 32.5" Shade: 12" x 14.5" x 11" Linen Hard Back

3-Way Turn Switch

150-W. (M)

Title 20 Compliant.









70793

Lyric™ Table Lamp Hand-Painted Porcelain Finish Hgt. 29.5" Shade: 16" x 18" x 11" Sea Mist Hard Back 3-Way Turn Switch 150-W. (M)

70797

Key West[™] Table Lamp Hand-Painted Porcelain Finish Hgt. 29" Shade: 15" x 17" x 11" Beige Linen Hard Back 3-Way Turn Switch 150-W. (M)

70782

Jester Table Lamp Hand-Painted Porcelain Finish Hgt. 30.5" Shade: 17" x 18" x 11" Beige Linen Hard Back 3-Way Turn Switch 150-W. (M)

Title 20 Compliant.







s836

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49047 AZ	(1) 150W (M)	13	12.75			8.25	5	◎ ⊜ OD (30-52W CFL)
В	49051 AZ	(1) 100W (M)	11	13.25	87.5	27(72)			O SOD (23-30W CFL) Addl. chain 4927 AZ
С	49046 AZ	(1) 100W (M)	11	10.75			7	4	◎ ⊜ OD (23-30W CFL)




	INCAND. ITEM	INCAND. BULB	w	н	EXT.	HCWO	NOTES
D	49048 AZ	(1) 150W (M)	13	15.75			(30-52W CFL)
E	49050 AZ	❖ (2) 75W (M)	10	6			▶ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
F	49045 AZ	(1) 75W (M)	9	9.5	5.75	4	©OD (18-23W CFL)

Courtney Point™

Architectural Bronze® and Satin-Etched Cased Opal Glass









B 49260 AZ



C 49261 AZ

s838

	INCAND. ITEM	INCAND. BULB	w	Н	EXT.	HCWO	NOTES
Α	49262 AZ	(1) 150W (M)	11.5	15.25	12.25	3	◎ ⑤ O D (30-52W CFL)
В	49260 AZ	(1) 100W (M)	7.5	10	8.25	3	♥ ⊜ OD (23-30W CFL)
С	49261 AZ	(1) 150W (M)	9.5	12.75	10.25	3	₩ 3 0D (30-52W CFL)



	INCAND. ITEM	INCAND. BULB	w	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49264 AZ	(1) 150W (M)	11.5	17.75					◎ ፭ 0D (30-52W CFL)
E	49266 AZ	✓ (1) 75W (M)	10.5	5.5					● ● OD (18-25W CFL)
F	49259 AZ	(1) 100W (M)	6.25	8			7	2.5	◎ ⑤ OD (23-30W CFL)
G	49265 AZ	(1) 100W (M)	9.5	14.5	88.5	26(72)			D 30D (23-30W CFL) Addl. chain 4927 AZ



9	R	4	0	
0	u	_	v	

	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	49273 RZ	(1) 150W (M)	12	21	14.25	9	◎ ⑤ OD (30-52W CFL)
В	49277 RZ	(2) 60W (M)	11.5	5.5			⊙ ⊜ OD (13-15W CFL)
С	49271 RZ	(1) 100W (M)	8	14	9.5	6.5	◎ ⑤ OD (23-30W CFL)
D	49274 RZ	(1) 150W (M)	10	22.25			◎ ⑤ OD (30-52W CFL)



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	EXTRA WIRE (CHAIN)	EXT.	HCWO	NOTES
E	49275 RZ	(1) 150W (M)	12	26	•	•		•	◎ 3 0D (30-52W CFL)
F	49270 RZ	(1) 100W (M)	5.5	9.5	•		6.75	5.5	◎ ⑤ OD (23-30W CFL)
G	49276 RZ	(1) 150W (M)	10	22.25	96.5	23(72)			
н	49272 RZ	(1) 150W (M)	10	17.5			11.5	8	◎ ⑤ OD (30-52W CFL)

 $\label{eq:measurements} \mbox{Measurements shown in inches. \ U.S.\ Patent\ Pending.}$

Franceasi™

Olde Bronze® Finish





B 49226 OZ LED

A 49229 OZ LED







Dark Sky Compliant







The Design Pro LED technology incorporated into these innovative lighting fixtures uses only a fraction of the energy required by an incandescent bulb.





49228 **OZ LED**



49227 OZ LED

LED Equivalencies

8.8W	Light equivalent to a 40W incandescent bulb	78% energy savings
11.4W	Light equivalent to a 60W incandescent bulb	81% energy savings

s843

	LED ITEM	LIGHT SOURCE	W	н	EXT.	HCWO	NOTES
Α	49229 OZ LED	11.4W 🧧 Q* 🕲	10	25	12.25	8.75	00
В	49226 OZ LED	8.8W 🚟 Q* 🕲	5.5	14.5	7.25	4.5	00
С	49228 OZ LED	11.4W 🛜 Q* 🕲	8.5	22	10.5	7.50	00
D	49227 OZ LED	8.8W 🚍 Q* 🕲	7	18	9	5.75	00

Measurements shown in inches. U.S. Patent Pending.

Q* LED light source included.



s844

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49255	BK, TZ, WH	(1) 100W (M)	6.5	17	7.75	14	◎ ② OD (23-30W CFL)
В	49256	BK, TZ, WH	(1) 100W (M)	6.5	18			◎ ⑤ OD (23-30W CFL)

Measurements shown in inches.



	INCAND. ITEM	FINISH	INCAND. BULB	w	н	EXT.	HCWO	NOTES
С	9774	BK, WH	(1) 60W (M)	5.5	10.5	6	2.50	◎ ② OD (23-30W CFL)
D	9977	BK, WH	(3) 60W (C)	7	17.5			®
E	9777	BK, WH	(3) 60W (C)	7.25	14.5	8.5	3.50	W
F	9776	BK, WH	(1) 100W (M)	6.5	12.25	8	3.25	™ 3 0D (23-30W CFL)

Measurements shown in inches.

Index

	I.	1	1	ı	I.
3677NIs784	42301CH s707	42538CTZ s759	42681DBK s773	45316BK s799	66051 s763
36770Z s784	42302CH s708	42539CTZ s757	42682DBK s773	45317BK s799	66054 s771
4010 s779	42303CH s707	42543CH s697	42683DBK s773	45319BK s799	66057 s715
4011 s779	42304CH s707	42544CH s697	42684DBK s773	45351MIZ 5765	69092 s755
		42545CH s697		45353MIZ s765	
4114 s713	42306CH s708		42685DBK s773		69093 s780
4115 s713	42307CH s708, s788	42546CH s697	42686DBK s773	45358BPT \$733, \$793	69094 s71, s789
4134 s758	42353AP s767	42556BPT s732	427000Z s726	453580Z s731, s792	69157 s715, s789
8880BK s769	42353SWZ s767	425560Z s731	427010Z s725	45359BPT s793	69158 s789
8880OZ s741	42355AP s767	42557BPT s733	42702OZ s725	453600Z s792	
8880PNs737	42355SWZ s767	425570Z s731	427040Z s726	45360BPT s793	70730 s821
8881BKs769	42356AP s767	42559BPT s732	427050Z s727	453600Z s792	70778 s827
8881OZ s741	42356SWZ s767	425590Z s731	427060Z s725	45361BPT s793	70779 s827
8881PNs737	42358AP s767	42561BPT s733	427070Z s727	453610Z s792	70781 s826
8882BK s769	42358SWZs767	425610Z		1000102	70781BZ s826
8882OZ s741	42362AP s767	42562BPT s733	45149AP s803	49045AZ s837	70782 \$833
8882PNs737	42362SWZ	425620Z s731	451490Z \$802	49046AZ s836	70783 s822
	42364AP		45150AP \$803	49047AZ s836	
9774BK s845		42563BPT s732			70784 s818
9774WHs845	42364SWZ s767	425630Z s731	451500Z \$802	49048AZ s837	70785 s819
9776BKs845	42381AP \$717	42583CH s743	45151AP s803	49050AZ s837	70786 s823
9776WH s845	42381MIZ s720	42584CH s743	451510Z s802	49051AZ s836	70787 s825
9777BK s845	42382AP s717	42586CH s743	45152AP \$803	492260ZLED s843	70788 s824
9777WH s845	42382MIZ s720	42587CH s743	451520Z s802	492270ZLED s843	70789 s831
9977BK s845	42383AP s717	426000I s777	45153AP s767	492280ZLED s843	70790 s832
9977WHs845	42383MIZ s719	426020I s776	45153SWZ s767	492290ZLED s843	70791 s832
	42384AP s718	4260301 s775	45169SRM s747	49255BK s844	70793 s833
410610Zs792	42384MIZ s721	426040I s775	451740Z s723, s800	49255TZ \$844	70794 s830
41120 s793	42385AP s718	4260501 s776	451750Z \$800	49255WH s844	70795 \$830
	42385MIZ s721	4260601 s776	451760Z s800	49256BK s844	70796NBR s829
42016BKs761	42386AP s718	426070I	451770Z s800	49256TZ s844	70796PN s828
42017BK s761	42386MIZ	426080I s777	45182DBK \$773, \$797	49256WH s844	70797 \$833
42018BK s761	42387AP \$718	426090I s775	45183DBK	49259AZ \$839	70707
42028CH s699	42387MIZ	426150Z s783	45184DBK s797	49260AZ \$838	74130 s821
42029CH s700	42390CH 5721	426160Z	45185DBK s797	49261AZ \$838	74244
				49262AZ s838	74247 s823
42030CH s700	42391CH s709 42392CH s707	426170Z s783	45228CH s794		
42031CH s699		426180Z s783	45228NI \$737, \$795	49264AZ s839	74250 s819
42034CH s701	42393CH s709	42623AP s729	452280Z \$741, \$796	49265AZ s839	74251 s830
42035CH s695, s701	42468SRM s747	42624AP s729	45229CH s794	49266AZ s839	74257NBR s829
42051MIZ s765	42470SRM s747	42625AP s729	45229NI s795	49270RZ s841	74257PN s829
42052MIZ s765	42471SRM s747	42626AP s729	452290Z s796	49271RZ \$840	74258 s827
42053MIZ s765	42472SRM s747	42627AP s729	45230CH s794	49272RZ s841	
42054MIZ s765	424860Z s784	42630CH s711	45230NI s795	49273RZ s840	76106 s831
42060CMZ s751	42505OZ s753	42631CH s711	452300Z s796	49274RZ s840	76131 s821
42061CMZ s751	42506OZ s753	42632CH s711	45231CH s794	49275RZ s841	
42062CMZs751	425070Z s753	42633CH s711	45231NI s795	49276RZ s841	78117 s831
42097CMZs751	42519BK s769	42634CH s711	452310Z s796	49277RZ s840	78118 s820
42098CMZs751	42521BK s769	42651CH s745	45232CTZ s779		78119 s817
42099CMZs751	42522BK s769	42652CH s745	45234AP \$729, \$798	60281 s780	78120 s813
42103CMZs749	42523BK s769	42653CH s745	45235AP s798	60282 s755	78121 \$809, \$820
42104CMZs749	42524BK s769	42654CH s745	45236AP s798	65326 s755	78122 s813
42105CMZ s749	42527CH s737	42655CH s693	45237AP s798	65327 s755	78123 s816
42114SRM s713	425270Z \$741	42656CH s694	45281AP s717, s791	65328 s780	78124 s811
42115SRM s713	42528CH s736	42658CH s693	45281MIZ s720	65329	78125 s807
42116SRM s713	425280Z s740	42659CH s694	45282AP s791	65330 s715	78126 s807
42121NI s785	42529CH s735	42660CH s693	45282MIZ	65331 \$714	78127 s811
42122NI s785	425290Z s739	42661CH s695	45283AP s791	65332 s714	78128 s817
42191CMZ s749	42530CH s736	42665CH s703	45283MIZ	65333 s781	78129 s815
421910NZ5749					
42192CMZ s749	425300Z s740	42666CH s705	45284AP s791	65334 s781	78130 s813, s828
42193CMZ s749	42531CH	42669CH s704	45284MIZs790	65335 s781	78131 s815
42208CH	425310Z s739	42670CH s704	45291CH s709, s788	65336 s781	78132 s816
42209CH \$743, \$785	42532CH s737	426730Z s723	45293CH s788	65337 s763	78133 s814
42210CH s784	42532OZ s741	426740Z s723	453000Z \$727, \$801	65338 s763	
42232CTZ s779	42534CTZ s758	426750Z \$723	453010Z s801	65354 s771	300181AP s717
42233CTZ s779	42535CTZ s758	426760Z s723	453020Z s801	65355 s771	3001810Z s721
42234CTZ s779	42536CTZ s758	426770Z s723	453030Z s801	65356 s771	
42235CTZ s789	42537CTZ s759	426780Z s723	45315BK s761, s799	65357 s714	

Accessories

Standard Gauge Chain

Chain may be ordered in 3' lengths to supplement existing chain supplied with Kichler® fixtures.

Standard Gauge Chain

2996 AP 2996 BPT 2996 CH 2996 CMZ 2996 CTZ 2996 DBK 2996 MIZ 2996 OI 2996 OZ 2996 PN 2996 SRM 2996 SWZ

Heavy Gauge Chain

4901 AP 4901 BK 4901 CH 4901 CMZ 4901 DBK 4901 MIZ 4901 OZ 4901 0I 4901 PN 4901 SRM 4901 SWZ

Extra Heavy Gauge Chain 4908 SRM 4909 CH

Outdoor Solid Brass Chain 4927 AZ 4927 RZ

Stem Segments

To increase the fixture overall length to a max. of five stem segments, order:

12" Length

2995 CH 2999 AP 2999 BK 2999 BPT 2999 CH 2999 CMZ 2999 CTZ 2999 DBK 2999 MIZ 2999 NI 2999 OI 2999 OZ 2999 PN 2999 SWZ

12" x .625 OD Stem

4935 BK 4935 BPT 4935 CH 4935 CTZ 4935 DBK 4935 OI 4935 OZ 4935 PN 4935 SWZ

Decorative Lamp Post 9548 BK - Post

External Photocell 49951 WH - External Photocell

Grounded Convenience Outlet

49952 WH - GCO

Fluorescent Bulbs

4050 - 13W Squat GU24 4051 - 18W Squat GU24

Halogen Bulb 5911 CLR - E11 75W Mini-can

Legend/Symbol Guide

This symbol indicates the product best suited for Indoor use with self-ballasted, compact fluorescent bulbs sold through distributors across the U.S.

This symbol indicates the product best suited for Outdoor use with self-ballasted, compact fluorescent bulbs sold through distributors across the U.S.

(C) = Candelabra based bulb (E-12).

(C/K) = Candelabra based bulb (E-12) or Krypton candelabra based bulbs.

(K) = Krypton candelabra based bulbs.

(M) = Medium based bulb (E-26).

(MNCN) = Mini-can based halogen bulbs.

Fixture requires supply wire rated for at least 75° C.

• Fixture requires supply wire rated for at least 90° C.

★ = When electrical connection is made inside the fixture, supply wire must be rated at least 75° C. When electrical connection is made in an outlet box, supply wire must be rated at least 60° C.

Installation Instructions: Fixture must be supported independently of the outlet box unless the outlet box is UL listed for the weight to be supported. Consult a qualified electrician/installer. Required installation parts included.

B. Hgt. = Body Height

D = Diameter

Ext. = Extension

Fluor. = Fluorescent

H = Height

HCWO = Height from Center of Wall Opening

Incand. = Incandescent

L = Length

Ovrll. H = Overall Height

W = Width

Wire

(Chain) = Wire in excess of chain length.

Example: 19(72) = 19" of extra wire with 72" chain

ENERGY STAR

Many of the products in this catalog have the ENERGY STAR® logo. This
identifies lighting that uses 2/3 less energy than conventional lighting and lasts
6- to 10-times longer. For more information, visit www.energystar.gov.



Title 24 is a document that contains the building codes for the state of California. All lighting fixtures in this catalog that comply with the August 1, 2009 revision of the California Title 24 standards are marked with the T24 logo. For more information, visit www.energy.ca.gov/title24.



Title 24 is a document that contains the building codes for the state of California. All lighting fixtures in this catalog that comply with the August 1, 2009 revision of the California Title 24 standards are marked with the T24 logo. For more information, visit www.energy.ca.gov/title24.

ADA = ADA Compliant

= Damp

W = Wet

= Dark Sky

= Bulb Included



= Photocell

Œ

New Line Extension

California Title 20

To comply with the California Title 20 regulations, all portable lamps shipped into California are assessed a charge per lamp, dependant upon the quantity and types of CFL bulbs required for the lamp. To learn more about California Title 20 regulations visit: www.energy.ca.gov/appliances/2008rulemaking/2008-AAER-1A/2008-08-29 Initial Statement of Reasons Part-A.pdf

For specific prices on portable lamps shipped into California please consult the latest version of a Kichler price sheet.

- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended, however, you may use lower wattage bulbs to suit your lighting needs. Some recommended bulbs are not available in the maximum allowable wattage.
- All electrical products are rated as 120-volt, AC unless otherwise noted.
- All electrical products are certified and listed to UL/CSA/ETL Standards for use in U.S.A. and Canada except where noted.
- All products featured in the outdoor section are certified and listed to UL/CSA standards for wet location except where noted.
- All chain drop products equipped with at least 72" CH of chain.
- Many long life tungsten halogen capsule bulbs are now available as alternates
 to conventional incandescent light bulbs. The halogen capsule bulbs may
 be used to replace any bulb of a higher wattage, but not to exceed the existing
 specified maximum wattage, i.e., 72W may replace a 75W.
- On some products, in order to accommodate higher than normal ceiling height, extra lead wire is supplied and specified. With additional sections of chain (not included), this allows an added measure of design flexibility.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants and other forms of weathering.
- To serve you better, Kichler® Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand applied finishing will cause some differences between the printed images and actual product, and from one product to another.

We use only non-ferrous materials on the exterior parts of our outdoor lantern products, and use the best available weather-resistant finishes. However, due to some extreme environmental conditions such as acid rain, salt air and ultraviolet exposure, we cannot guarantee our exterior finishes, with the exception of our LifeBrite™ lanterns.

Due to environmental conditions such as soil acidity, concrete alkalinity and other corrosive soil and air conditions, we cannot guarantee our direct burial posts.

Consumer Notice

Federal Legislation to phase out 100watt Incandescent Bulbs starting January 2012

The federal government enacted the *Energy Independence and Security Act of 2007* in December 2007, requiring all general-purpose light bulbs that produce 310–2600 lumens of light be 30% more energy efficient (similar to current halogen lamps) than current incandescent bulbs by 2012 to 2014. The efficiency standards will start with 100-watt bulbs in January 2012 and end with 40-watt bulbs in January 2014.

Light bulbs outside of this range are exempt from the restrictions (historically, less than 40 Watts or more than 150 Watts). Also exempt are several classes of specialty lights, including appliance lamps, rough service bulbs, 3-way, colored lamps, and plant lights.

By 2020, a second tier of restrictions would become effective; which requires all general-purpose bulbs to produce at least 45 lumens per watt (similar to current CFLs). Exempt from the Act are reflector flood, 3-way, candelabra, colored, and other specialty bulbs.


Many Governments worldwide have passed measures to prohibit the sale of incandescent light bulbs for general lighting. The aim is to encourage use of more energy efficient lighting alternatives, such as compact fluorescent lamp (CFLs) and LED lamps.

References: energy.senate.gov wikipedia.com

s847

Featured on Front Cover: Parker Point™ Collection Chandelier 42632 CH Sconce 42634 CH Page s711

Featured on Back Cover: Booth Bay™ Collection Indoor/Outdoor Pendant 49051 Page s836



World Headquarters 7711 E. Pleasant Valley Rd. PO Box 318010 Cleveland, Ohio 44131-8010

www.kichler.com

65M/10-KD-1435 Catalog Supplement No. **K111** Printed in USA © Copyright All rights reserved. Kichler Lighting.

The majority of newer Kichler Lighting fixtures are U.S. Patent Pending. Many are also Patent Pending in Canada.







