

FLUORESCENT WALL MOUNT FIXTURE ASSEMBLY & INSTALLATION INSTRUCTIONS

Please read carefully and save these instructions, as you may need them at a later date.

CAUTION

Turn off the main power at the circuit breaker before installing the fixture, In order to prevent possible shock.

GENERAL

All electrical connections must be in accordance with local and national electrical code (N.E.C) standards. If you are unfamiliar with proper electrical wiring connections obtain the services of a qualified electrician.

Remove the fixture and the mounting package from the box and make sure that no parts are missing by referencing the illustrations on the installation instruction.

ASSEMBLY AND INSTALLATION

1. Take the Frosted Glass (16) out from the fixture body (13).
2. Fasten Mounting Strap (5) to Junction Box (2) with Screws (10). Turn Hexagon Nut (9) onto Nipple (11) and drill it into threaded hole in Mounting Strap (5).
3. Make the wiring connections: connect the White Supply Wire (3) to the White Fixture Wire (6).connect the Black Supply Wire (1) to the Black Fixture Wire (7) using Wire Connectors (4).Wrap the House Ground Wire (8) and Ground Wire (12) around the Wire Connectors (4).

4. Carefully place all wires splices within the Junction Box (2).Position the Fixture body (13) to the Nipple (11) protrudes through the center hole and secure with the Knob (14) provided.
5. Install the Proper Lamps (15) into the Socket (17). Do not exceed recommended maximum wattage. Put the Frosted Glass (16) slide into the fixture.
6. Put the Frosted Glass (16) on the fixture Body (13), and make sure fasten the End Cap (18) by using the Knob (19).

INSTALLATION IS NOW COMPLETED

- 1.BLACK SUPPLY WIRE
- 2.JUNCTION BOX
- 3.WHITE SUPPLY WIRE
- 4.WIRE CONNECTORS
- 5.MOUNTING STRAP
- 6.WHITE FIXTURE WIRE
- 7.BLACK FIXTURE WIRE
- 8.HOUSE GROUND WIRE
- 9.HEXGON NUT
- 10.SCREW
- 11.NIPPLE
- 12.GROUND WIRE
- 13.FIXTURE BODY
- 14.KNOB
- 15.LAMP
- 16.FROSTED GLASS
- 17.SOCKET
- 18.END CAP
- 19.KNOB

