
BECKWITH[™]

FP7964B** 23" Ceiling Fan





INSTALLATION REQUIREMENTS:

Fan must be attached to a securely anchored electrical junction box capable of withstanding a load of at least 35 lbs.

ELECTRICAL REQUIREMENTS:

Requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

82 x 25 AC motor is designed for optimal performance with this fan.

CONTROL OPTIONS:

TR500 hand-held remote control is included. Push button remote control with variable fan speeds, infinite light levels and off button. Optional WC2WH and WR501WH wall controls and WFR50 receiver are available--sold separately. Instructions are provided with each control.

LIGHTING OPTIONS:

Four 4-watt E12 LED bulbs included.

Α
15.96"
23.46"
29.46"
35.46"
47.46"
59.46"
71.46″
83.46"

Available Finishes			
BN	Brushed Nickel with Brushed Nickel Blade and Frosted White Shade		
ОВ	Oil-rubbed Bronze with Black Blade and Frosted White Shade		

Airflow / Energy Efficiency Info (120V)					
Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High	1616	1363	24	0.47	56
Med	1200	916	41	0.33	23
Low	856	467	29	0.49	16

Energy Guide FTC				
Power (W _{ave}) Total Air Delivery (CFM _{ave})		Estimated Yearly Energy Cost (\$)	Ceiling Fan Efficiency (CFM/W)	
39	943	11	24	

Light Bulb Information (120V)					
Bulb Type	Bulb Type Watts QTY Lumens Amount		Color Temp	CRI	
LED	4	4	1200	2700	90%

DOWNROD OPTIONS:

Fan comes with 1" dia. x 4.5" long downrod (DR1-45). Optional downrods available in 12",18", 24", 36", 48", 60", and 72" lengths. A downrod coupler is available for installations requiring a downrod longer than 72". Fan can be mounted on a sloped ceiling upto 27°. Most sloped ceiling installations require a downrod longer than the standard 4.5" downrod. Optional sloped ceiling ball kits (SCB1-52) are available for slope angles greater than 27° and up to 42°. Optional close-to-ceiling kit is available as well—sold separately. Call technical support for more information.

LOCATION USE:

Fan is rated for dry location only.