



BRICK LIGHTS SL-08 120 VOLT SERIES

TYPE

SPECIFICATIONS

CONSTRUCTION:

FACE PLATE: Cast aluminum or brass

BACK BOX: Aluminum models- Cast aluminum powder coated high reflective white
Brass models- Unfinished cast brass

LENS SL-08: Clear tempered flat glass

LENS SL-08-AL: Opal White glass

GASKET: Black neosponge closed cell; .190" thickness

LAMP SUPPLIED: 2x 15w T7; 2x 25w T8; No Lamp for T10 model - Rated up to 40w T10

LAMP SUPPLIED -FL MODELS: 5w, 7w or 9w CFL, 4100K; 10,000 hours average rating

LAMP OPTIONS: 15w T7 or 25w T8; 40w T10; CFL in 2700K

SOCKET: Double contact bayonet, brass nickel plated lamp socket screw shell (Ba15d) with 200°C silicone lead wires or high temp ceramic medium base

SOCKET -FL MODELS: GX23 bi-pin for 5w, 7w; G23 for 9w

WIRING: Standard 120v black, white and ground

FINISH: Aluminum - Black texture polyester powder coat. Optional finishes available
Brass - Unfinished. Optional finishes available

NOTE: 1/2" end holes for feed through available. Specify at time of order.




SL-08-T10NL-BRS




SL-08-ALFL5-BAR

ORDERING INFORMATION


| CATALOG NO. | DESCRIPTION | LAMP | SHIP WEIGHT |
|---------------------------|------------------------------------|---------------|-------------|
| SL-08-T7-BLT | Cast Aluminum 4 Louver Brick Light | 2x 15w T7 | 3.0 lbs. |
| SL-08-T7-BRS | Cast Brass 4 Louver Brick Light | 2x 15w T7 | 7.0 lbs. |
| SL-08-T8-BLT | Cast Aluminum 4 Louver Brick Light | 2x 25w T8 | 3.0 lbs. |
| SL-08-T8-BRS | Cast Brass 4 Louver Brick Light | 2x 25w T8 | 7.0 lbs. |
| SL-08-T10-BLT | Cast Aluminum 4 Louver Brick Light | None | 3.0 lbs. |
| SL-08-T10-BRS | Cast Brass 4 Louver Brick Light | None | 7.0 lbs. |
| SL-08-AL-T7-BLT | Cast Aluminum Lensed Brick Light | 2x 15w T7 | 3.0 lbs. |
| SL-08-AL-T7-BRS | Cast Brass Lensed Brick Light | 2x 15w T7 | 7.0 lbs. |
| SL-08-AL-T8-BLT | Cast Aluminum Lensed Brick Light | 2x 25w T8 | 3.0 lbs. |
| SL-08-AL-T8-BRS | Cast Brass Lensed Brick Light | 2x 25w T8 | 7.0 lbs. |
| SL-08-AL-T10-BLT | Cast Aluminum Lensed Brick Light | None | 3.0 lbs. |
| SL-08-AL-T10-BRS | Cast Brass Lensed Brick Light | None | 7.0 lbs. |
| SL-08-FL5(7,9)120V-BLT | Cast Aluminum 4 Louver Brick Light | 5,7 or 9w CFL | 3.0 lbs. |
| SL-08-FL5(7,9)120V-BRS | Cast Brass 4 Louver Brick Light | 5,7 or 9w CFL | 7.0 lbs. |
| SL-08-AL-FL5(7,9)120V-BLT | Cast Aluminum Lensed Brick Light | 5,7 or 9w CFL | 3.0 lbs. |
| SL-08-AL-FL5(7,9)120V-BRS | Cast Brass Lensed Brick Light | 5,7 or 9w CFL | 7.0 lbs. |



SL-08 Back Box



SL-08



SL-08-AL

FACE PLATE ONLY

| CATALOG NO. | DESCRIPTION |
|----------------|--|
| FA-54-120V-BLT | 120v Cast Aluminum 4 Louver Face Plate, Clear Glass Lens |
| FA-54-120V-BRS | 120v Cast Brass 4 Louver Face Plate, Clear Glass Lens |
| FA-55-120V-BLT | 120v Cast Aluminum Lensed Face Plate, Opal Glass Lens |
| FA-55-120V-BRS | 120v Cast Brass Lensed Face Plate, Opal Glass Lens |

SL-08: Mounting Holes on all models 7-1/2" on center



BACK BOX/SOCKET/LAMP ONLY

| CATALOG NO. | DESCRIPTION | LAMP |
|-------------------|---|---------------|
| FA-60-T7 | Cast Aluminum Back Box with Lamp and Socket | 2x 15w T7 |
| FA-60-T8 | Cast Aluminum Back Box with Lamp and Socket | 2x 15w T8 |
| FA-60-T10 | Cast Aluminum Back Box with Socket | None |
| FA-60-FL5120V | Cast Aluminum Back Box with Lamp and Socket | 5w CFL 4100°K |
| FA-60-FL7120V | Cast Aluminum Back Box with Lamp and Socket | 7w CFL 4100°K |
| FA-60-FL9120V | Cast Aluminum Back Box with Lamp and Socket | 9w CFL 4100°K |
| FA-60-T7-BRS | Cast Brass Back Box with Lamp and Socket | 2x 15w T7 |
| FA-60-T8-BRS | Cast Brass Back Box with Lamp and Socket | 2x 15w T8 |
| FA-60-T10-BRS | Cast Brass Back Box with Socket | None |
| FA-60-FL5120V-BRS | Cast Brass Back Box with Lamp and Socket | 5w CFL 4100°K |
| FA-60-FL7120V-BRS | Cast Brass Back Box with Lamp and Socket | 7w CFL 4100°K |
| FA-60-FL9120V-BRS | Cast Brass Back Box with Lamp and Socket | 9w CFL 4100°K |

JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____


FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630
www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Terra Cotta | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-------------|-----------|------------|----------------------|
| -BLT | -ATV | -BRT | -CAM | -WTX | -HTX | -RST | -WIR | -WBR | -STU | -RBV | -CPR | -TRC | -BAR/CAR | -BAV/CAV | -BAT |




BRICK LIGHTS SL-08 120 VOLT SERIES


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




SL-08-T10 Half Spread Photometrics




SL-08-T10 Half Spread Photometrics




SL-08-FL-5 Half Spread Photometrics (5w)




SL-08-FL-7 Half Spread Photometrics (7w)




SL-08-FL-9 Half Spread Photometrics (9w)



SL-08-FL-5 Half Spread Photometrics (5w)



SL-08-FL-7 Half Spread Photometrics (7w)




SL-08-FL-9 Half Spread Photometrics (9w)

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Terra Cotta | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-------------|-----------|------------|----------------------|
| -BLT | -ATV | -BRT | -CAM | -WTX | -HTX | -RST | -WIR | -WBR | -STU | -RBV | -CPR | -TRC | -BAR/CAR | -BAV/CAV | -BAT |




BRICK LIGHTS SL-08 120 VOLT SERIES


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




SL-08-AL-FL-5 Half Spread Photometrics (5w)




SL-08-AL-FL-5 Half Spread Photometrics (7w)




SL-08-AL-FL-7 Half Spread Photometrics (7w)



SL-08-AL-FL-7 Half Spread Photometrics (9w)



SL-08-AL-FL-9 Half Spread Photometrics (9w)



SL-08-AL-FL-9 Half Spread Photometrics (9w)

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Terra Cotta | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-------------|-----------|------------|----------------------|
| -BLT | -ATV | -BRT | -CAM | -WTX | -HTX | -RST | -WIR | -WBR | -STU | -RBV | -CPR | -TRC | -BAR/CAR | -BAV/CAV | -BAT |