

INSTALLATION INSTRUCTION FOR P21-084-HO

For Mini Pendant

WARNING! SHUT POWER OFF AT FUSE OR CIRCUIT BREAKER.

AVERTISSEMENT! COUPER LE COURANT AU NIVEAU DES FUSIBLES OU DU DISJONCTEUR.

PREPATION

1. Shut off power at the fuse box or circuit breaker box. If necessary, remove the old fixture and mounting hardware.
2. Carefully unpack your new fixture and lay out all the parts on a clear area. Take care not to loose any small parts necessary for installation.

ASSEMBLING THE FIXTURE

3. Thread rod (J) into rod (K). Carefully pass the wires through each rod during assembly. Repeat step 3 with rods (G), (H) and (I) until the desired hanging height is reached.
4. Thread the pipe (G) onto coupling (F).

MOUNTING THE FIXTURE (Fig.1)

6. Thread the two mounting screws (A) part way into the crossbar (B). Secure crossbar (B) to the junction box (not provided) with junction box screws (C). The length of mounting screws (A) into crossbar (B) may be adjusted if necessary.

CONNECTING THE WIRES (Fig.2)



7. At this point, connect the electrical wires as shown in Fig. 2, making sure that all wire connectors are secured. If your outlet box has a ground wire (green or bare copper), connect the fixture's ground wire to it. Otherwise, connect the fixture's ground wire directly to the mounting plate using the green Screw provided.

COMPLETING THE INSTALLATION (Fig.1)

8. Align canopy (D) to mounting screws (A) and secure with cap nuts (E).
9. Place the glass shade (M) over the socket (L) and secure with the retaining ring (N).
10. Install the proper light bulbs for your fixture. Install the light bulb (not included) in accordance with the fixture's specifications.

11. **(DO NOT EXCEED THE MAXIMUM WATTAGE RATING!) (NE PAS DEPASSER LA PUISSANCE NOMINALE MAXIMALE!)**

Your installation is now complete. Return power to the outlet box and test the fixture.



Note: Illustration (Fig.1) on this manual is for installation purposes only. It may or may not be identical to the fixture purchased.

