


## Lighting Your Life Since 1970

Product Specifications - 14405CHWT			
Job Name:	Job Type:		
Quantity:	Comments		



## 14405CHWT Bali 1-Light Chandelier



Finish

## Glass/Shade

\*max overall height **Product Category**Single Pendant

Lamping **Number of Bulbs Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 60 **Max Fixture Wattage** 60 Rated Life **Rated Lumens** ±0 **Color Temp** Bulb(s) Not Included Light Up/Down N/A **Beam Spread** N/A CRI N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No Dimmable N/A

Measurements	
Width	19.00"
Height	19.00"
Length	19.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	140.00"
Hanging Weight	2.87 lbs
Height Adjustable	N/A
Slope	120°
Chain Length	N/A
Wire Length	120"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	6.83 lbs
Carton Width	21"
Carton Height	21"
Carton Length	21"
Carton Cubic Feet	5.26
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Ceruncation		Other		
Safety Rating	Dry	UPC Code	783209126534	Ir
Energy Star	No	Shades Included	N/A	F
CA Title 24	No	Crystals Included	N/A	
CA Title 20	No	Diffuser Included	N/A	
ADA	No	Conversion Kit	N/A	
Dark Sky	N/A	Material	Twine	

Othor

Equivalents	
Incandescent Watte	

Incandescent Watts	N/F
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.