


Lighting Your Life Since 1970

Product Specifications - 27546CGPN Job Name: Job Type: Quantity: Comments



27546CGPN

Venezia 6-Light Chandelier





Finish

Polished Nickel

ckel

Glass/Shad	е
Coanaa	

Cognac

Product Category

Single-Tier Chandelier

L		ρı	m	g
N.	١.,	 L		

Number of Bulbs	6
Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	40
Max Fixture Wattage	240
Rated Life	
Rated Lumens	
Color Temp	
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard/Lutron® CL

Measurements

Canopy Length

modour official	
Width	28.00"
Height	22.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	13.20 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	36"
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A

Shipping

Shipping	
Carton Weight	17.60 lbs
Carton Width	21"
Carton Height	13"
Carton Length	28"
Carton Cubic Feet	4.49
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification		Otner	
Safety Rating	Dry	UPC Code	783209122789
Energy Star	No	Shades Included	Yes
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Metal+Glass

Equivalents

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.