

Product	Specifica	ations -	30253	WTPD
Product	Specific	auons -	シ ひ∠シシ	WIPL

-	opeenions.	70 2 03 11 11 13
	Job Name:	Job Type:
	Quantity:	Comments



30253WTPD

Swing 6-Light Chandelier

Finish Platinum Dusk

Glass/Shade

White

Product Category

Single-Tier Chandelier

Lamping

=upg	
Number of Bulbs	6
Light Type	Incandescent
Bulb Type	CA
Max Bulb Wattage	60
Max Fixture Wattage	360
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Measurements

weasurements	
Width	24.00"
Height	30.00"
Length	24.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	22.26 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	180"
Canopy Width	5.13"
Canopy Height	1.00"
Canopy Length	5.13"

Shippina

Shipping	
Carton Weight	39.84 lbs
Carton Width	22"
Carton Height	36"
Carton Length	27"
Carton Cubic Feet	12.65
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

Certification

Other

Equivalents

Safety Rating	Dry	UPC Code	783209130463	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Metal+Glass		

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.