




Lighting Your Life Since 1970

Product Specifications - 43444CSOI

Job Name:	Job Type:
Quantity:	Comments:



**43444CSOI**  
**Hennessy 8-Light Pendant**



**Finish**

Oil Rubbed Bronze

**Glass/Shade**

\*max overall height  
**Product Category**  
Linear Pendant

**Lamping**

Number of Bulbs	8
Light Type	LED
Bulb Type	GU24
Max Bulb Wattage	9
Max Fixture Wattage	72
Rated Life	
Rated Lumens	±5,040
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	90+
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

**Measurements**

Width	31.50"
Height	14.00"
Length	31.50"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	18.75"
Max Overall Height	48.75"
Hanging Weight	39.16 lbs
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	120"
Canopy Width	9.75"
Canopy Height	1.00"
Canopy Length	9.75"

**Shipping**

Carton Weight	53.90 lbs
Carton Width	38"
Carton Height	14"
Carton Length	38"
Carton Cubic Feet	11.96
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

**Certification**

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

**Other**

UPC Code	783209124936
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Steel+Cloth

**Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2016 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.