

## Lighting Your Life Since 1970

Product Specifications - 9105JVBK				
Job Name:	Job Type:			
Quantity:	Comments			



9105JVBK

Java 1-Light Pendant

Finish Glass/Shade Product Category
Black Single Pendant

Lamping	
Number of Bulbs	1
Light Type	
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	60
Rated Life	
Rated Lumens	±0
Color Tomp	
Color Temp	
Bulb(s)	Not Included
	Not Included N/A
Bulb(s)	
Bulb(s) Light Up/Down	N/A
Bulb(s) Light Up/Down Beam Spread	N/A N/A
Bulb(s) Light Up/Down Beam Spread CRI	N/A N/A N/A
Bulb(s) Light Up/Down Beam Spread CRI Photo Cell Included	N/A N/A N/A N/A

Measurements	
Width	17.00"
Height	9.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
НСО	N/A
Min Overall Height	N/A
Max Overall Height	129.00"
Hanging Weight	3.50 lbs
Height Adjustable	Yes
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	3.50 lbs
Carton Width	21"
Carton Height	13"
Carton Length	21"
Carton Cubic Feet	3.30
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		Other		Equivalents	
Safety Rating	Dry	UPC Code	783209114135	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.