



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Shock Waves

WS-39920

FEATURES


- ACLED driverless technology
- Steel Hardware, art cast glass

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV: 100-10%,TRIAC: 100-5%
Color Temp	3000K
CRI	90
Construction	Steel Hardware, art cast glass

REPLACEMENT PARTS

RPL-GLA-39920 - Glass



WS-39920

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-39920 20"	3000K	BN Brushed Nickel	33.9W	2552	1120

Example: **WS-39920-BN**

For custom requests please contact customs@modernforms.com



Project:

Location:

Fixture Type:

Catalog Number:

AVAILABLE FINISHES:



Shock Waves

WS-39927

FEATURES


- ACLED driverless technology
- Steel Hardware, art cast glass

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV: 100-10%,TRIAC: 100-5%
Color Temp	3000K
CRI	90
Construction	Steel Hardware, art cast glass

REPLACEMENT PARTS

RPL-GLA-39927 - Glass



WS-39927

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-39927 27"	3000K	BN Brushed Nickel	44W	3416	1348

Example: **WS-39927-BN**

For custom requests please contact customs@modernforms.com



Project: _____

Location: _____

Fixture Type: _____

Catalog Number: _____

AVAILABLE FINISHES:



Shock Waves

WS-39938

FEATURES


- ACLED driverless technology
- Steel Hardware, art cast glass

SPECIFICATIONS

Rated Life	54000 Hours
Standards	ETL, cETL,Damp Location Listed,Title 24 JA8: 2019 Compliant
Input	120 VAC,50/60Hz
Dimming	ELV: 100-10%,TRIAC: 100-5%
Color Temp	3000K
CRI	90
Construction	Steel Hardware, art cast glass

REPLACEMENT PARTS

RPL-GLA-39938 - Glass



WS-39938

Model & Size	Color Temp	Finish	LED Watts	LED Lumens	Delivered Lumens
WS-39938 38"	3000K	BN Brushed Nickel	67W	5104	2041

Example: **WS-39938-BN**

For custom requests please contact customs@modernforms.com