



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**62-1722** - Blink Pro - 13W; gin; LED Fixture; CCT Selectable; Round Shape; Bronze Finish; 120V

- CCT Selectable



### ELECTRICAL

Technology:	LED
Watts:	13W
Volts:	120V
Lumens:	1200L-1250L
Lamp Base :	Integrated
Lamp Shape :	Integrated LED
CRI:	90
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Temperature:	Warm White to Natural Light
Beam Spread :	100
Hours Rated:	50000
Dimmable:	Yes-Dimmable
DimmableText:	120V only
Operating Temperature :	-20C (-4F) to +40C (+104F)
Lamp Included :	Integrated
Replaceable Light Source :	No
Surge Protection :	Built-in surge protection - 2.5KV
THD:	<20%
Power Factor :	0.9
Warranty:	5 Year Limited - Fixtures

### PACKAGING

Each UPC:	045923625732
Each Quantity:	1
Each Dimensions:	9.21 x 1.81 x 9.21
Case UPC:	10045923625739
Case Quantity:	12
Case Dimensions:	19.09 x 11.81 x 10.04

### INFO

Additional Info:	UGR - 26.14; SDCM - 464; Hi pot - DC-1550V; Edge-lit - Yes
Specification Note:	Overall height of fixture and driver: 1.59"
Installation Note:	Surface mount; Compatible with 3"&4" J-box and pancake J-box with additional accessory

### PHYSICAL

Finish:	Bronze
Lens Material:	Poly methyl methacrylate (PMMA)
Finish Family:	Bronze
Dimensions:	H:0.67" DIA:9.00"
Weight (Lbs.):	1.21
Material:	Die-Cast Aluminum

### COMPLIANCE

Safety Listing:	cETLus
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2402981
Energy Star Lamp Category:	Downlight Surface Mount
DLC Approved:	No
UL/ETL Standard:	ANSI/UL 1598; CSA-C22.2 No. 250.0
CA Prop 65:	Lead
Closet Rated:	No
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Fixture
Restrictions:	No Restrictions

**ACCESSORIES**

---



**25-1722** Blink Pro - Round Collar; 9 Inch; Bronze Finish

---



**62-1722-EM** Blink Pro; EM Battery Backup; 9 Inch; Round Shape; Bronze Finish

---

**DIMMER COMPATIBILITY**

---

**Leviton** 6672

---

**Leviton** 6674

---

**Satco** 86/103

---

**LeGrand** ADTP703TU

---

**Lutron** AYCL-153P

---

**Lutron** AYCL-253P

---

**Lutron** CTCL-153P

---

**Lutron** CTRP-253P

---

**Eaton** DALo6P-C2

---

**Leviton** DDMX1

---

**Leviton** DG6HD

---

**Leviton** DH6HD

---

**Leviton** DL6HD

---

**Leviton** DSEo6-1oZ

---

**Leviton** DSLo6

---

**Leviton** DSLo6-1LZ

---

**Leviton** DSM1o

---

**Eaton** DULo6P-C2

---

**Lutron** DVCL-153P

---

**Lutron** DVCL-253P

---

**Lutron** DVRP-253P

---

**Leviton** DW6HD

---

**Leviton** DZ6HD

---

**Lutron** HQRA-PRO

---

**Lutron** HQRD-1oD

---

**Lutron** HQRD-1oNBD

---

<b>Lutron</b>	HQRD-6ND
<b>Lutron</b>	HQRD-HN6BRL
<b>Lutron</b>	HQRD-PRO
<b>Lutron</b>	HRST-PRO-N
<b>Leviton</b>	IPE04-1L
<b>Leviton</b>	IPL06
<b>Lutron</b>	LECL-153P
<b>Lutron</b>	MA-PRO
<b>Lutron</b>	MACL-153M
<b>Lutron</b>	MACL-LFQ
<b>Lutron</b>	MSCL-OP153M
<b>Lutron</b>	NTCL-250
<b>Lutron</b>	NTRP-250
<b>Lutron</b>	PD-10NXD
<b>Lutron</b>	PD-6WCL
<b>Lutron</b>	RCL-153PNL
<b>Eaton</b>	RF9640-ND
<b>Legrand</b>	RHCL450PTC
<b>Leviton</b>	RNL06-10Z
<b>Lutron</b>	RRD-10D
<b>Lutron</b>	RRD-6CL
<b>Lutron</b>	RRD-6ND
<b>Lutron</b>	RRD-H6BRL
<b>Lutron</b>	RRD-PRO
<b>Lutron</b>	RRST-PRO-N
<b>Satco</b>	S11268
<b>Eaton</b>	SAL06P
<b>Lutron</b>	SCL-153P

<b>Lutron</b>	ST-PRO-N
<b>Lutron</b>	STCL-153M
<b>Eaton</b>	SUF7
<b>Eaton</b>	TAL06P-C2
<b>Lutron</b>	TGCL-153PH
<b>Leviton</b>	TSL06
<b>Leviton</b>	TSM10
<b>Lutron</b>	TTCL-100H
<b>Eaton</b>	VSUL06D