MINA ALABASTER SMALL PENDANT

VISUAL COMFORT & CO.

PRODUCT FEATURES



LAMPING

Includes 9 watt, 118 delivered lumens, 3000K, 2200K or 3000K-2200K warm-color dimming LED module. Dimmable with most LED compatible ELV or TRIAC dimmers. Fixture provided with twelve feet of field-cuttable cloth cord.

ORDERING INFORMATION

SLPD541	COLOR TEMP	COLOR	FINISH	
	22 2200K	B BLACK CORD	B BLACK	
	30 3000K	I BLACK/WHITE	HAB HAND RUBBED ANTIQUE BRASS	
	WD 3000K-2200K			
SLPD541				
JOB NAME				
	-			
NOTES				



MINA ALABASTER SMALL PENDANT

SPECIFICATIONS

PRIMARY MATERIAL	Aluminum or Brass	
SHADE MATERIAL	Alabaster	
NET WEIGHT	6.5 lbs	
HEIGHT	7.6in	
WIDTH	5in	
LENGTH	5in	
UP LIGHT / DOWN LIGHT / BOTH?		
WET LISTED		
DAMP LISTED		
DRY LISTED		
MIN. HANGING HEIGHT	14in	
MAX HANGING HEIGHT	152in	
TOTAL CORD LENGTH	144in	
TOTAL STEM LENGTH		
STEM QTY		
SLOPED CEILING ADAPTABLE?	Yes 45° Max	
GENERAL LISTING	ETL Listed	
INCLUDES		

LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP	
DELIVERED LUMENS		118			
WATTS		9			
MAX WATTAGE PER BULB		9W			
		120V ELV, TRIAC			
Black Cord, Black/White : 2200K		Black Cord, Black/White : 2200K			
ССТ		Black Cord, Black/White: 3000K			
		Black Cord, Black/White: 3000K-2200K			
CRI		90 CRI			
LED LIFETIME					
L70		>50000			
AVERAGE BULB HOURS					
FIELD SERVICEABLE LED					
LAMP BASE		Integrated LED			
LAMP SHAPE		Integrated LED			
LAMP INCLUDED?		True			
WARRANTY**		5 Years			

^{*} Dimming information available at www.techlighting.com/Downloads#dimming ** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6/JA8.	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.			

 $^{^{*}}$ If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

