

BUSTER+PUNCH

LONDON

[product.]

DOOR HANDLE / CROSS

[motion. **LEVER.**]

[action. **SPRUNG.**]

[knurl. **CROSS.**]


[range. **DOOR HARDWARE.**]

A door lever handle made from solid metal. A solid bar with dimond-cut, knurled detailing, ensuring pleasure with every touch. Works great on internal doors and can be teamed up with our matching door accessories. Available in 4 metal finishes: steel, brass, smoked bronze and black.



[type. **2-1/8" BORE / PASSAGE.**]

[info. **MEASUREMENTS.**]



A fascia plate is included to cover the inner rose and screw holes.

[info. **SPECIFICATIONS.**]

A pair of sprung door lever handles for use with US specification locks and latches.





Compatible with either tubular latches or mortise locks.

USE: Passage interior doors. Minimum door thickness 1-3/8" to maximum door thickness 2" (with supplied fixings).

ROSE: 2-9/10" diameter, 3/16" thick rose to cover a pre-drilled 2-1/8" hole in a door.

SPINDLE: 5/16" x 5/16" square spindle.

[info. **FINISH & SKU NUMBERS.**]

[finish.]	[sku.]
 Steel	NLH-07169
 Brass	NLH-05167
 Smoked Bronze	NLH-09168
 Black	NLH-02166

[info. **CARE INSTRUCTIONS.**]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. **INCLUDED.**]

1 x pair of Door Handles

1 x spindle

1 x 2-3/8" backset US passage tubular latch with through bolt fixings

[info. **RECOMMENDED.**]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:

	[2-3/8" Backset.]	[2-3/4" Backset.]
Steel	NLL-07173	NLL-07177
Brass	NLL-05171	NLL-05175
Smoked Bronze	NLL-09172	NLL-09176
Black	NLL-02170	NLL-02174


[please. **NOTE.**]

This product is best used with a long backset ((2-3/4" or 2-3/8"), lightly sprung, two-way rotating tubular latch or mortise lock.

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments. Our door handles are intended for internal use only. Not for commercial use.

[type. **2-1/8" BORE / PRIVACY.**]

[info. **MEASUREMENTS.**]



[info. **SPECIFICATIONS.**]

A pair of sprung door lever handles for use with US specification locks and latches.

Compatible with either tubular latches or mortise locks.

USE: Privacy interior doors. Minimum door thickness 1-3/8" to maximum door thickness 2" (with supplied fixings).

ROSE: 2-9/10" diameter, 3/16" thick rose to cover a pre-drilled 2 1/8" hole in a door.

SPINDLE: 5/16" x 5/16" square spindle.

[info. **FINISH & SKU NUMBERS.**]

[finish.]

[sku.]

Steel

NLH-07181

Brass

NLH-05179

Smoked Bronze

NLH-09180

Black

NLH-02178

[info. **CARE INSTRUCTIONS.**]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. **INCLUDED.**]

1 x pair of Door Handles

1 x spindle

2-3/8" backset US privacy tubular latch with through bolt fixings

[info. **RECOMMENDED.**]

Purchase a tubular latch from the Buster + Punch website:

Tubular Latch:

	[2-3/8" Backset.]	[2-3/4" Backset.]
Steel	NLL-07189	NLL-07193
Brass	NLL-05187	NLL-05191
Smoked Bronze	NLL-09188	NLL-09192
Black	NLL-02186	NLL-02190

[please. **NOTE.**]

This product is best used with a long backset (2-3/4" or 2-3/8"), lightly sprung, two-way rotating tubular latch or mortise lock.

DISCLAIMER: Always consult a trade professional when installing these door handles. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments. Our door handles are intended for internal use only. Not for commercial use.