

A SEAMLESS FUSION of COMFORT & DESIGN

VELLURA

DUAL-PURPOSE HEATING & LIGHTING, EXCLUSIVELY FROM EUROFASE

WWW.EUROFASE.COM

Comfort

Warmth

Lighting

Luxury

Elegance

Sophistication

Innovation

Ambience

Beauty

Vellura

BASED IN NORTH AMERICA, EUROFASE SPECIALIZES IN LUXURY LIGHTING & HEATING FIXTURES FOR COMMERCIAL & RESIDENTIAL APPLICATION.

Contents

Pg 4	About Vellura
Pg 6	Accent Heating
Pg 8	The Vellura Collection
Pg 10	Features
Pg 12	Technical Specifications
Pg 13	Beyond Vellura
Pg 14	Installation Instructions
Pg 25	Warranty & Registration

This manual will guide you through the benefits *Vellura* can offer your space. For additional information not included in this document, please visit us online at www.eurofaseheating.com

EUROFASEHEATING.COM 3

VELLURA

A NAME TO EMBODY ELEGANCE & WARMTH

At the heart of every product we create is a story, a vision, and a name that captures its true essence.

For Eurofase's latest innovation in Accent Heating, we sought a name that could best reflect the luxury and comfort it brought to outdoor spaces. After no small amount of thought and inspiration, Vellura was born.

Vellura is derived from the Latin word "vellus," meaning warmth – evoking a sense of gentle comfort & coziness.

It perfectly encapsulates the feeling of wrapping yourself in warmth on a cool evening, while enjoying the refined elegance that Eurofase products are known for.

The soft, flowing sound of Vellura hints at the smooth,

seamless design of the collection — portable, versatile, and ready to add warmth, ambiance, and character to any space.

A key feature that sets Vellura apart is its unique fabric shade. This meticulously crafted element not only enhances the visual appeal but also diffuses the warm LED light in a way that creates a soft, inviting glow. The fabric shade adds an additional layer of sophistication, seamlessly blending with the outdoor environment while providing a tactile, luxurious touch.

With its blend of heat, soft LED lighting coupled with the beautiful fabric shade, Vellura isn't just a functional product; it's an experience that expertly blends comfort and design.

The name represents the harmony between innovation and timeless beauty, making it the perfect choice for our groundbreaking Accent Heating collection.





ACCENT HEATING

LUXURY & INNOVATION REDEFINED WITH A FRESH NEW CATEGORY FOR OUTDOOR LIVING.

Introducing Vellura: Where Comfort Meets Design

Inspired and developed from our expertise in Eurofase Heating products, accent heating brings a new way to experience warmth, expertly combining high-end design with practical performance.

At this category's forefront is our latest innovation: Vellura.

Extending beyond providing warmth; Vellura transforms outdoor spaces by blending comfort and design to enhance any environment. As the centerpiece of our accent heating category, the Vellura collection represents Eurofase's commitment

to craftsmanship and sophistication. This portable radiant solution provides warmth and features a warm, 3000K, 700 delivered lumens LED light that adds ambience and functionality to any space.

Whether you're entertaining guests or enjoying a peaceful evening on the patio, Vellura offers the perfect synergy of comfort, design, and lighting, redefining how you enjoy outdoor spaces.

ASEAMLESS FUSION of COMFORT & DESIGN

Vellura is an exquisite, 3-product family of fixtures that deliver heating and lighting through a single, precision-engineered design.

Crafted to seamlessly complement your outdoor decor, Vellura provides localized, efficient heating exactly where it's needed. Integrated LED lighting helps enhance ambiance while perfectly balancing functionality and design.



VELLURA

DISCOVER FEATURES & ADVANTAGES UNIQUE to ACCENT HEATING

Carbon Heating Element

Carbon elements provide consistent, evenly distributed heating that ensures comfortable spaces and optimized energy consumption.

Integrated LED

Enhance your space with integrated LED lights, resulting in warmth and ambience through a single, sleek design.

Outdoor Fabric Shade

Crafted from premium temperature and weather resistant materials that stand up against sun, rain, and wind and deliver reliable, lasting performance.

CCT 3000k, 700 Lumens

3000K color temperatures emit warm, white light that create cozy and inviting atmospheres ideal for residential and hospitality settings.

3000k 10000k 1000k

to ensure lasting performance under the most demanding conditions. Dimmable Adjust the LED brightness from full intensity down to a soft glow as needed.

Touch Controlled

Vellura incorporates a robust build process

Simple and intuitive controls and a USB-A port provide convenience and make adjusting heat, lighting, and timer functionality a simple process.

Remote & Timer

An included remote makes operation convenient wherever you are. A built-in timer allows customization of your heating schedule.

Wet Rated IPX4

Suitable for use in damp or wet conditions, ensuring reliable performance and durability in outdoor or high-moisture areas.

Variable Heat Output

Choose between three heat settings (500W, 1000W, 1500W) to find the ideal temperature for your space.

Safety Sensors

A safety-tilt cutoff mechanism automatically shuts the heater off if it is accidentally tipped.


Easy Installation


Straightforward setup with clear instructions and required hardware included.



EUROfase

10





VELLURA TABLE TOP HEATER

Elevate your outdoor experience with our decorative table top heater and lamp.

Combining warmth and ambience in one elegant design, this versatile piece is perfect for outdoor table settings or nestled between two chairs. With its contemporary and sleek aesthetic, this heater adds a touch of sophistication to any setting.

KEY FEATURES

Dual Functionality

Provides heat and accent lighting, creating a warm, inviting atmosphere.

Adjustable Heat Settings Control the temperature to suit your comfort level with

adjustable heat settings.

Carbon Element

Efficient heating keeps you warm without consuming excessive energy.

Portable & Convenient

Compact and lightweight, making it easy to move and position wherever you need warmth and light.

Safety Features

Equipped with overheat protection, a cool-touch exterior, and safety tilt shutoff sensor for safe, worry-free use.

Infrared Heating 1500W

150044

LED Lighting 3000K, 700 LM

Family	Vellura	
Item No.	EFH0137	
Wattage	1500W	
Voltage Rating	120V	
Total Amps	12.5A	
Finish	Black	
Construction	Aluminium, Cast Iron Base	
Heat Setting	Low/Med/High	
Heating Area (approx.)	5'x5' (25 sq ft)	
Heating Element	Carbon 5000 hrs.	
Control Type	Remote Control	
Height	32.5"	
Diameter	22" (Shade), 13.8" (Base)	
Weight	17.6 lbs	
Cable Length	7'	
IPX Rating	IPX4	
Warranty	3 Year	







BEYOND VELLURA

Infrared heaters for any occasion

The Vellura collection is one among an extensive line of premium heating products built for commercial and residential application.

Eurofase manufactures a versatile selection of wall mounted, flush mounted, low-profile, marine grade, and pole mounted offerings. Additions like Wi-Fi & remote control, decorative covers, and industry leading

warranty are also available for your convenience.

When combined with our heating design service, bespoke solutions can be developed within 24 hours to solve any need.

To learn more, you can access a comprehensive product catalog online:

www.eurofaseheating.com


EURO**fase**

SECORATIVE FUNCTION HEATING

INSTRUCTION MANUAL

TABLE TOP HEATER

ITEM NUMBER: EFH 0137



Thank you for purchasing the Vellura Dual Purpose Heating and Lighting Fixture. This versatile unit combines efficient heating with ambient lighting to enhance comfort and ambiance in both indoor and outdoor settings.

IMPORTANT

Please read this manual carefully before installation and usage to ensure proper operation and safety. Keep this manual for future reference.

SAFETY INFORMATION

- · Warning: To prevent overheating, do not cover or block the heater while in operation.
- · Ensure the heater is properly grounded.
- · Do not use the unit in wet conditions.
- · Always turn off the unit and disconnect from the power source before performing any maintenance.
- This appliance is for adults only. All children and people with a reduced physical, sensory, or mental capacity must not play with, operate, or clean this product. Failure to follow these recommendations may result in property damage, injury, or death.

CAUTION

- This appliance becomes extremely hot when in use. Touching this product when in use may result in burns, damage, injury, or death. All pets, children, and people with a reduced physical, sensory, or mental capacity should remain at least 3ft / 1m away from this unit.
- This appliance cannot control room temperatures. Do not use this heater in small, enclosed rooms, especially with children or pets.
- Never position heater where it may become submerged in water, such as close to a pool, hot tub, spa, bathtub, or water tank.
- DO NOT position this appliance below a power source, socket, outlet, or plug.
- DO NOT position this unit near any combustible items, such as curtains, clothing, gas, or any flammable liquids or vapors.
- If the cord or plug is damaged, please contact Eurofase Inc. directly for a replacement part. Any maintenance must be completed by a certified electrician. Do not attempt to operate this heater prior to replacement.

SAFETY INFORMATION

- Only operate the heater on a stable, solid, and horizontal surface, ensuring all feet on the base are in contact with the floor. If the heater tilts or falls, the auto shut-off feature will activate.
- Place the heater outdoors or in a large open space, away from obstructions like branches or any object that could be impacted by heat (keep at least 3ft / 1m meter clearance from objects such as furniture, curtains, or other flammable materials).
- Confirm all parts are present, with no components left in the box, and that the heater head is free from packaging materials prior to assembly.
- · Do not operate the heater near pools, hot tubs, spa, bathtubs, or in unventilated spaces.
- Avoid use in areas where gas, petroleum based products, paint, or other flammable substances are stored. Do not push objects through, obstruct, or cover the grill of the heater head.
- Do not use with a programmer, timer, or other device that automatically switches the heater on, as this could pose a fire risk.
- · Avoid moving the heater while connected to a power source and allow the unit to cool before storage.
- Do not touch the heater head during use, and avoid leaving it unattended, especially with children or animals nearby.
- · Maintain a clearance of at least 3.5ft/106cm from walls and 1ft/30cm from the ceiling.
- · The heater operates at high temperatures and remains hot for a period after shutdown, posing a risk of burns.
- Do not cover the unit during operation or immediately after shutdown, and do not wrap the power cord around the unit.
- · Handle the heater carefully, avoiding impact or vibration, and ensure the unit is securely grounded.
- · For any damage, repair should only be done by a professional electrician.
- · If the power cord is damaged, it must be replaced by an authorized agent or a professional to prevent hazards.
- · Avoid using the heater in areas with volatile air (e.g., dust, steam, or gas).
- \cdot Do not use this heater as a clothes or towel dryer, sauna heater, or room heater.
- · Do not use this unit for animal care or in environments where pets are bred or raised.
- · Do not immerse the unit in water, clean only with a dry or slightly damp cloth.
- · Connect the heater to a 15A power supply in a secure, dry location.
- · While the heater is IPX4 rated (splashes or omnidirectional water) avoid use in rainy or wet conditions.
- $\cdot \;\;$ Always disconnect the power cable when the heater is not in use.
- \cdot $\,$ To prevent overheating, damage, injury or fire, do not cover the heater when in operation.
- · Keep the appliance and its cord out of children's reach.
- · Avoid using the heater in small rooms occupied by individuals unable to leave without assistance unless supervised.

- · Ensure no combustible materials or environmental factors (e.g., curtains, clothing) obstruct the appliance.
- · Only connect the heater to a power source after assembly is complete.
- Do not connect the heater if any parts or the power cord appear damaged.
- Pets, children, and people with a reduced physical, sensory, or mental capacity should not be near the heater unless supervised.
- Children and people with a reduced physical, sensory, or mental capacity should not plug in, adjust, clean, or maintain the appliance.
- The heater can be used by individuals with reduced capabilities, provided they receive guidance and understand the risks.
- CAUTION Some parts of this product become very hot and could cause burns, especially in the presence of children and vulnerable individuals with a reduced physical, sensory, or mental capacity.

PRODUCT SPECIFICATIONS

MODEL

EFH0137 - Table Top Heater Vellura Dual Purpose Heating and Lighting Fixture

POWER INPUT

110V-120V AC/ 60Hz

HEATING OUTPUT

Adjustable, up to 1500W

LIGHTING OUTPUT

3000K; 700 lumens

NET WEIGHT

17.6 lbs

CONTROL TYPE

Remote control with dimming options; Base control

16 EURO**fase** EUROFASEHEATING.COM 17

OPERATION INSTRUCTIONS

Place this unit on a firm, level surface and plug it into a grounded 110V-120V / 60Hz power outlet. Only operate this heater when it is in an upright position and the base is attached.


Using the Heater

- Turn on safety power switch(F), then press the ON/OFF button(A) on the remote or on the touchpad(base)
- 2. Adjust Heat Level: Toggle between low, medium, and high settings using the remote control or power button on the base.

Using the Light


18

- 1. Turn On Light: Press the light button on the remote or on the base.
- 2. Adjust Brightness: Use the dimming controls to adjust brightness as desired.



ICON	DESCRIPTION	FUNCTION
A ()	ON/OFF Button	On/Off button of the heating module Heating level setting (/L/M/H)
B (-\(\frac{1}{2}\)	LED Dimmer Button	The light can be turned On/Off and brightness can be easily adjusted with a simple tap
c (0)	Timer (+) Button	Press the button once to add 1 hour, up to a maximum of 12 hours. The screen will display the remaining time
D (1)	Timer (-) Button	Press the button once to decrease by 1 hour. The screen will display the remaining time
E	USB Charging Port	5V, 2A USB Type-A
F (6)	Safety Power Switch	Powers the heater

ICON	BUTTON	FUNCTION
A ()	ON/OFF Button	ON/OFF button of the heater
в	Timer Button	Press the button once to add 1 hour, up to a maximum of 12 hours
c (-)(a)(-)	LED Dimmer Button	The light can be turned On/Off and brightness can be easily adjusted with a simple press of the button
D L	Low	Low heating setting
E M	Medium	Medium heating setting
F H	High	High heating setting



PAIRING FOR WIRELESS REMOTE CONTROL


- 1. After assembling and setting up the heater, turn on the safety power switch (F), then press the On/Off button (A) on either the remote or the touchpad (base).
- 2. Within 10 seconds, press the "L" button on the remote, followed by the "H" button, and then press any button on the remote control. A beep will sound to indicate a successful code match.

REMOTE CONTROL GUIDE

- 1. The remote control has an effective range of 10-13ft / 3-4m. For best results, ensure there are no obstacles between the remote and the unit.
- 2. The remote control operates with 2 AAA 1.5V batteries (included). If the remote is not in use, remove the batteries to minimize wear.

TIP


For optimal performance, ensure the remote is directed toward the receiver, as shown in the illustration to the right.



Max. remote distance: 16ft / 5.8m


EUROFASEHEATING.COM EUROFASEHEATING.COM


PARTS LIST




#	DESCRIPTION	QUANTITY
1	UNIT ASSEMBLY	1
2	LED DIFFUSER	1
3	POLE	1
4	BASE	1
5	REMOTE CONTROL	1
6	LED & POWER PLUG CABLES	1

ASSEMBLY INSTRUCTIONS






Remove the wiring compartment cover.




Thread the pole into the base.


20



Insert the LED diffuser through the top of the pole.





Feed the power cords from the unit assembly through the base of the pole.




Hold the unit assembly and turn the upper pole clockwise to securely screw it onto the unit assembly.

Tighten the safety screw to securely lock the pole to the unit assembly.






Snap the LED diffuser into the unit assembly.



Connect the LED and power cables in the base of the unit.



Reinstall the wiring compartment cover.

ATTENTION

- Ensure all mounts are firmly secured and all screws are tightened. Confirm that the mounting location is stable and able to support the appliance.
- Adjust the height as needed, ensuring all screws are fastened securely. Regularly inspect screw stability, as pressure
 and movement from harsh weather may loosen the fixtures.
- Plug the appliance into a power source and operate it using the remote control. Observe the unit for at least 15 minutes to confirm that all components are functioning correctly.
- · When not in use, remove the batteries from the remote to help extend their lifespan.

SERVICE AND MAINTENANCE INSTRUCTIONS

- · Power Off & Cool Down: Unplug the unit and allow it to cool completely before performing any maintenance.
- Cleaning the Unit: Use a soft, damp cloth to clean the outer shell. A mild detergent may be used if needed. Dry the unit with a soft cloth afterward.
- Avoid Harsh Cleaners: Do not use alcohol, gasoline, abrasive powders, furniture polish, or rough brushes, as these
 can damage the heater's surface.
- Water Exposure: While this heater is IPX4 rated and designed for outdoor use, do not immerse it in water or expose it to excessive moisture.
- Ensure Dryness Before Use: Wait until the unit is fully dry before plugging it back in.
- Continuous Improvement Notice: We are committed to product development and may make changes to product specifications without prior notice.

DISPOSAL

Environmental Protection

Electrical products should not be disposed of with regular household waste. Please recycle wherever recycling facilities are available. For guidance, consult your local authority or retailer for information on appropriate recycling options.



VELLURA DUAL PURPOSE HEATING AND LIGHTING FIXTURE: WARRANTY AND REGISTRATION GUIDE

Thank you for choosing the Vellura Dual Purpose Heating and Lighting Fixture. Designed to enhance your outdoor spaces with both warmth and elegant illumination, your Vellura fixture is crafted to bring lasting enjoyment for years to come. To register, please fill in the Model and Serial Number along with the purchase date in the designated areas. Keep this information for future reference.

Please ensure that all family members are familiar with the fixture's proper usage and safety precautions to prevent injury. For complete guidance, carefully read the Owner's Manual before use.

Eurofase Warranty Assurance

Eurofase guarantees that the Vellura Dual Purpose Heating and Lighting Fixture is free from defects in materials and craftsmanship for three years from the original purchase date.

THREE-YEAR LIMITED WARRANTY

This warranty applies exclusively to the original owner as per the terms and conditions specified below. As part of this limited warranty, Eurofase will supply replacement parts to the original owner for any component that fails within three years of the original purchase date. Eurofase may, at its discretion, offer to rebuild or replace the fixture during this period. All usage and maintenance must comply with the instructions provided in the Owner's Manual.



REGISTER YOUR EUROFASE HEATING PRODUCT ONLINE

Visit www.eurofaseheating.com/warranty-and-registration or scan the QR code to register your Eurofase product for additional benefits

EXCLUSIONS FROM WARRANTY COVERAGE

The warranty does not cover:

- · Service and labor costs for diagnosis, removal, or reinstallation of the fixture or parts.
- Shipping and delivery charges.
- Damages due to misuse, negligence, thermal shock, natural disasters (e.g., earthquake, flood, fire), or intentional damage.
- Failure caused by electrical service issues, including voltage fluctuations, blown fuses, or circuit breakers.
- Damage due to electrical service inadequacies or interruptions.
- · Normal product wear and tear, including oxidation, surface scratches, or heating element replacement.

24 EURO**fase** EUROFASEHEATING.COM 25

GENERAL WARRANTY CONDITIONS

This warranty is void if the Dual Purpose Heating and Lighting Fixture is not used and maintained according to the instructions provided in the Owner's Manual. Prior written permission is required to return any parts or equipment under warranty. Such returns must be pre-authorized, and shipping charges prepaid.

GENERAL WARRANTY CONDITIONS

This warranty is void if the Dual Purpose Heating and Lighting Fixture is not used and maintained according to the instructions provided in the Owner's Manual. Prior written permission is required to return any parts or equipment under warranty. Such returns must be pre-authorized, and shipping charges prepaid.

LIMITATION OF IMPLIED WARRANTIES

Implied warranties, including those of merchantability, are limited to three years. Some jurisdictions may not allow limitations on the duration of implied warranties.

WARRANTY CLAIMS PROCESS

To initiate a warranty claim, please contact the dealer where the fixture was purchased, or another authorized Eurofase dealer. If assistance is needed, contact Eurofase at 1.833.346.6682 (Monday to Friday, 8 am – 5 pm) or via email at info@eurofaseheating.com.

NEED ADDITIONAL INFORMATION?

For additional inquiries, please contact us at info@eurofaseheating.com or toll free at 1.833.346.6682

Step outside with Eurofase

Designed and built by Eurofase, *Vellura* is an exquisite, 3-product family of fixtures that delivers heating and lighting through a single, precision-engineered design.

International Office

33 West Beaver Creek Richmond Hill, Ontario, Canada, L4B 1L8

Dallas Market Center

Suite 4002, Trade Mart Building 2100 Stemmons Freeway Dallas, Texas, 75207



International 1.905.695.2052
Toll Free 1.833.346.6682

E info@eurofaseheating.com