GENERATION LIGHTING

11028QC: 6" New C	Construction IC	Airtight Housing
with "Quick Connec	cts"	



Specification Images:

Dimensions:	
Length:	13 1/2"

Width:	10 3/4"
Height:	7 7/8"

Weight: 2.2 lbs.

Features:

Material List:

Safety Listing:

Instruction Sheets:

1 Body - Aluminum - Undefined 1 Mounting Plate - Steel - Raw Steel

Safety Listed for Damp Locations / IC $\$ Safety Listed for Damp Locations / IC $\$

Bilingual (English - French) (HC-438FB)

• Easily converts to LED with optional replacement lamps

Wire: 6 1/2" (color/Black/White)

- Meets Title 24 energy efficiency standards
- Listed for use with direct contact to insulation

Collection: Recessed Lighting

New Construction Airtight IC Housing with Quick Connects

Featured in the decorative Recessed Lighting collection

Bulb selection for recessed lighting depends on both the trim and housing selection; refer to the manufacturer's website for correct lamping instructions

IC housing is approved for use in direct contact with insulation

Housing adjusts vertically for various ceiling thicknesses

Break-away bar hangers easily extend and will not fall out of plaster flange, providing sturdy installation

UPC #:785652110290

Finish: Not Applicable ()

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Frt. Class	UPS Ship
Individual	11028QC	1	785652110290	14.3	9.3	8	0.616	2.26	125	Yes
Master Pack		6	10785652110297	25.25	18.5	8.75	2.365	15.686	125	Yes
NJ Pallet		192		48	40	77	85.556	502		No
NV Pallet		192		48	40	77	85.556	502		No

Generation Lighting reserves the right to revise the design of components of any product due to parts availability or change in safety listing standards without assuming any obligation or liability to modify any products previously manufactured and without notice. This literature depicts a product design that is the sole and exclusive property of Generation Lighting . In compliance with U.S copyright and patent requirements, notification is hereby presented in this form that this literature, or the product it depicts, is not to be copied, altered or used in any manner without the express written consent of, or contrary to the best interests of Generation Lighting, a Visual Comfort & Co brand.



11020AT-15 RECESSED TRIM White Steel Trim Maximum Wattage: 75w PAR30L 65w BR30 13.5w A19 15w PAR30L 15w BR30



11032AT-14 6" Multiplier Trim White Trim / Baffle Aluminum Trim Maximum Wattage: 13.5w A19 15w PAR30 15w PAR30 90w BR40 50w PAR30S 75w PAR30 90w PAR38 65w BR30 18w BR40 15w BR30







11032AT-22 RECESSED TRIM Polished Aluminum Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 15w BR30 18w BR40 65w BR30 90w PAR38 90w PAR38 50w PAR30 50w PAR30 18w PAR38 15w PAR30 15w PAR30 15w PAR30



11032AT-71 **RECESSED TRIM** Antique Bronze Aluminum Aluminum Multiplier Antique Bronze Aluminum Trim Maximum Wattage: 15w BR30 15w BR40 65w BR30 90w PAR38 75w PAR30 50w PAR30 50w PAR30 50w PAR30 15w PAR30 15

11032AT-849 **RECESSED TRIM** Satin Nickel Aluminum Trim Maximum Wattage: 15w BR30 15w BR30 90w PAR38 75w PAR30 50w PAR30 50w PAR30 15w PAR38 15w PAR38 15w PAR39 15w PAR39



 \bigcirc

11033AT-15 **6" Flat Glass Shower Trim** White Satin White Glass Diffuser White Aluminum Reflector Maximum Wattage: 40w A19 8w A19 Suitable For Shower Light



11034AT-15 RECESSED TRIM Satin White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 8w A19 40w A19 Suitable For Shower Light



11035AT-15 RECESSED TRIM Satin White Glass Diffuser White Aluminum Reflector White Steel Trim Maximum Wattage: 40w A19 8w A19 Suitable For Shower Light



11037AT-15 6" Regressed Eyeball Trim White White Steel Trim Maximum Wattage: 15w PAR30L 15w BR30 75w PAR30L 65w BR30 65w BR30



11039AT-15 **6" Wall Wash Trim** White Steel Housing White Steel Trim Maximum Wattage: 8w A19 40w A19

Generation Lighting reserves the right to revise the design of components of any product due to parts availability or change in safety listing standards without assuming any obligation or liability to modify any products previously manufactured and without notice. This literature depicts a product design that is the sole and exclusive property of Generation Lighting . In compliance with U.S copyright and patent requirements, notification is hereby presented in this form that this literature, or the product it depicts, is not to be copied, altered or used in any manner without the express written consent of, or contrary to the best interests of Generation Lighting, a Visual Comfort & Co brand.



11055AT-15 6" Fresnal Glass Shower T Clear Glass Lens White Aluminum Reflector White Aluminum Trim Maximum Wattage: 8w A19 40w A19 Suitable For Shower Light



1136AT-15 6" Eyeball Trim

White White Steel Trim Maximum Wattage: 13.5w A19

15w BR30 15w PAR30L 75w PAR30L 65w BR30





1151AT-14 **6" Baffle Trim** White Trim / Baffle Maximum Wattage: 13.5w A19 15w PAR30L 18w PAR30L 18w PAR30 90w PAR38 65w BR30 90w PAR30 90w BR40 50w PAR30S 75w PAR30L

1151AT-15 RECESSED TRIM

Black Aluminum Baffle White Aluminum Trim Maximum Wattage: 50w PAR30S 75w PAR30L 90w PAR38 65w BR30 18w BR40 18w PAR38 15w BR30 13.5w A19 15w PAR30L 90w BR40



1154AT-14 **6" Open Cone Shower Trim** White Trim / Baffle Aluminum Baffle Maximum Wattage: 13.5w A19 15w PAR30L 90w PAR30 50w PAR30L 50w PAR30L 50w PAR30S 15w PAR30 15w BA30 Suitable For Shower Light

Generation Lighting reserves the right to revise the design of components of any product due to parts availability or change in safety listing standards without assuming any obligation or liability to modify any products previously manufactured and without notice. This literature depicts a product design that is the sole and exclusive property of Generation Lighting . In compliance with U.S copyright and patent requirements, notification is hereby presented in this form that this literature, or the product it depicts, is not to be copied, altered or used in any manner without the express written consent of, or contrary to the best interests of Generation Lighting, a Visual Comfort & Co brand.