

RAFTER

908260FMB-LDD

RAFTER 60" LED SMART FAN WITH UPLIGHT

| DETAILS | |
|---------------|---------------------|
| FAN FINISH: | Matte Black |
| GLASS: | White Polycarbonate |
| BLADE COUNT: | 3 |
| SLOPE DEGREE: | 20 |

| DIMENSIONS | |
|------------|-------|
| WIDTH: | 60" |
| HEIGHT: | 12.5" |

| LIGHT SOURCE | |
|--------------|------|
| VOLTAGE: | 120v |

| MOUNTING | |
|------------|-----------|
| CANOPY: | 5.5" Dia. |
| LEAD WIRE: | 1 X 76" |

| SHIPPING | |
|----------------|------|
| CARTON LENGTH: | 35.6 |
| CARTON WIDTH: | 11.2 |
| CARTON HEIGHT: | 9.5 |

Inspired by the organic minimalism of modern Scandinavian styles, Rafter's streamlined design adds warmth to your living space with wooden accents at the base of stylishly contoured blades. Indirect LED uplighting casts an inviting glow throughout the surrounding area. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control and WiFi compatible with the Hinkley App.

PRODUCT DETAILS:

- Fan Control included, HIRO Control - 6 Speed Reversing
- Built-in uplight adds accent illumination to the ceiling
- Suitable for use in damp locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.
- For more information on how to control your ceiling fan via the Hinkley Home Automation App, [click here](#).
- This item may be hung on a sloped ceiling
- Bold silhouette with dramatic details creates a modern statement
- WiFi compatible with included fan control
- This item includes a 6" down rod. Other various lengths of down rods are available and sold separately to customize the installation height.

HINKLEY

HINKLEY
33000 Pin Oak Parkway
Avon Lake, OH 44012

PHONE: (440) 653-5500
Toll Free: 1 (800) 446-5539

hinkley.com

RAFTER 60" LED SMART FAN WITH UPLIGHT

908260FMB-LDD

| PERFORMANCE SPECIFICATIONS | STANDARD | |
|----------------------------|------------|---------------|
| | HIGH SPEED | AVERAGE SPEED |
| Airflow | 6120 | 4385 |
| EnergyUse | 29 | 20 |
| EnergyCost | 9 | 6 |
| Efficiency | 211 | 219 |
| AMPS | 0.43 | 0.16 |
| RPMS | 134 | 94 |