



AVIOR INSTALLATION INSTRUCTIONS

Review this manual in its entirety prior to proceeding with installation. Please note that we retain the right to modify product specifications as needed to accommodate potential technical enhancements.







AVIOR INSTALLATION INSTRUCTIONS

Warnings and precautions for use regarding the electrical connections.

Our products are intended exclusively for indoor use. The electrical connection and any subsequent electrical adjustments must be carried out solely by a qualified electrician, who will adhere to all applicable electrical regulations and instructions. In the event that the external flexible cable or cord of this appliance becomes damaged, it must be replaced solely by the manufacturer or their authorized agent to prevent any potential hazards.


Touch sensor instructions:

Simple touch: the lights turn ON or OFF.

Color change: when lights are on, a quick double touch changes the Kelvin temperature (3000K-4000K or 6000K).

Dimmer: when lights are on, keep touching switch three seconds for dimming function.











Appliance for indoor use only.



Email: customersupport@oxygenlighting.com


AVIOR INSTALLATION INSTRUCTIONS




1. Gather a pencil, level, measuring tape, stud finder, and painter's tape. Retrieve the fixing bar from the packaging.

Contains:

1 x Mirror, screws, wall plugs




2. With a level, positon the fixing bar so that it is perfectly level. Calculate "X" from the hole of the fixing bar to the top of the mirror.




- 3. Utilize the stud finder to scan the desired mounting holes. Check for electrical wires, water pipes, and wood studs. Avoid drilling where electrical components or water pipes are present. Seek professional assistance if needed.
 - Align one of the marked holes on the wall with the hole on the fixing bar. Ensure that the fixing bar is oriented on the wall according to the diagram below. Adjust the fixing bar until it is level, then mark the position of the second hole.




AVIOR INSTALLATION INSTRUCTIONS



- 4. Drill and insert the screw anchors suited to the type of wall to which the mirror will be fixed to. If mounting on drywall, use the provided screws according to the diagram. For wood studs, use only the provided screws.
- Secure top fixing bar to the wall with screws, ensuring it is level, if a bottom fixing bar is required, just repeat the same step as how to install the top fixing bar.







6. Turn off the power.

Connect the mirror wiring in an IP44 approved connect box (not included) which can be inserted into the wall anywhere behind the mirror.

Before hanging the mirror, consult an electrician to make the necessary electrical connections. Ensure the connections are made in an approved junction box suitable for the installation environment. All three wires (line, neutral, and ground) must be connected to the power source.

Once the electrical connections are completed, securely hang the mirror on the fixing bar.







201 Railhead Rd. Fort Worth, TX 76106

Phone: (877)-607-0202

Email: customersupport@oxygenlighting.com

AVIOR INSTALLATION INSTRUCTIONS

Operating Instruction:

The demisting function is ON only when the mirror is illuminated.

Product Care:

- 1. Do not use abrasives or solvents when cleaning your mirror. Low PH products and a polishing or soft cloth are recommended.
- 2. Do not spray the mirror directly with cleaning solution. Spray the cloth and then wipe the mirror with the moist cloth.
- 3. If the mirror has been turned on for an extended period of time, turn it off and let it cool if equipped with a defogger before cleaning.

Product Life:

At the end of its useful life, entrust the unit to the local waste disposal company.