

Fresnel Lens LED Ceiling Stem Hung with 6 links of chain Mounted • Damp Location Listed PROGRESS LED

Description:

Fresnel Lens LED Collection Polished Chrome Clear Fresnel Glass Coastal Pendant Light

Specifications:

- · Clear Fresnel Glass Lens
- · Dimmable to 10% brightness (See Dimming Notes)
- Canopy covers a standard 4" recessed outlet box: 4.875 in W., 1.125 in ht., 4.875 in depth
- · Mounting strap for outlet box included
- 120 in of wire supplied
- 1 EA Six links 9 Gauge

Performance:

Number of Modules	1
Input Power	9 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Source)	623/69.2 (LM-82)
Lumens/LPW (Delivered)	521/66.8 (LM-79)
CCT	3000 K
CRI	90+ CRI
Life (hours)	60000 (L70/TM-21)
EMI/RFI	Meets FCC Title 47, Part 15 Class B
Max. Operating Temp	30 ℃
Warranty	5-year Limited Warranty
Labels	cCSAus Damp Location Listed

P5050-1530K9




Dimensions:

Contact:

Diameter: 6-1/8 in Height: 6-1/4 in

Overall Ht. W/Chain And Stem: 72-1/4 in

Clear Fresnel Glass Lens Diameter: 5-3/8 in Height: 0-1/2 in





Fresnel Lens LED Ceiling Stem Hung with 6 links of chain Mounted - Damp Location Listed PROGRESS LED

Dimming Notes:

P5050-1530K9

 ${\tt P5050\text{-}1530K9} \ is \ designed \ to \ be \ compatible \ with \ many \ {\tt ELV/Reverse} \ Phase \ controls.$

The following is a partial list of known compatible dimmer controls.

Dimming Controls:

Lutron_Nova T NTELV-300

Lutron_Vierti VTELV-600

Lutron_Maestro MAELV-600

Lutron_spacer/system SPSELV-600

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.