



S9030

5.5A15/LED/2700K/120V
 5.5 watt; A15 LED; Frosted; 2700K; Medium base; 230 Degree
 beam spread; 120 voltsm spread; 120 volts

Features

- Solid State LED lighting
- A shaped replacement lamp
- Long life
- Dimmable
- Approved for enclosed fixtures

Operating temperature: -20°C (-4°F) to a maximum of +45°C
 (113°F); Not for use in ovens



S9030

Item Number	UPC	Voltage	Watts	Incandescent Equivalent	Lamp Shape	Base	ANSI Base
S9030	045923090301	120	5.5	40W	A15	Medium	E26
Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours	Kelvin Temp
5.5A15/LED/2700K/120V	Dimmable	Frosted	3-15/16"	1-7/8"	450	25000	2700
Color	CRI	Beam Spread Deg	Operating Temperature	Pack	Package Type	ENERGY STAR	RoHS Compliant
Warm White	80	230	-20C (-4F) to a maximum of +45C (+113F); Not for use in ovens	24/6	Box	ENERGY STAR	Yes
Fixture Type	UL or ETL Listed	UL Classification	Warranty				
Enclosed Rated	Yes	cULus - Damp Location Rated	3 Year Limited				



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027

